PRICE LIST Euros: CY 2011 Q4

IT PLATFORM SOLUTIONS

- Suggested end-user prices are subject to change without notice.
- Prices are indicative unit prices excl. taxes (customs and others costs as freight….
- Specifications are subject to change without notice.

All brand and product names are trademarks or registered trademarks of their respective owners.
Systems may be photographed with optional extras. Photos are not contractual.
Copyright 2011 NEC France SAS.

NEC Express5800/GT110d

A single-socket server for small and medium business, used for file & print sharing or small applications. Ideal for space constraint environments like shops, small offices without cooling installation (supports up to 40° C).
This mini tower entry level server with SAS or SATA capability is silent, highly reliable, flexible and energy saving.
The EXPRESSBUILDER setup tool provides a step by step guide or Express setup function to reduce the hand-on management and installation time.
The remote management tool and separate port provide security access and remote management including OS installation, RAID configuration, power capping, hardware monitoring and LCD panel view in order to save time and efforts

NEC Reference	Description	Price €	IC*
Base unit			
N8100-1738S3F	NEC Express5800-GT110d base unit without processor / 3"5 HDD cage / 1 slim DVD	412	☐
Processor			
N8101-499F	Intel® Pentium® Processor E620 (Dual Core, 2.60GHz, 3MB)	83	☐
N8101-500F	Intel® Xeon® Processor E3-1220 (Quad Core, 3.10GHz, 8MB)	206	☐
Hdd cage Add on			
N8154-38	4x 2.5" HDD cage	21	☐
Internal Hard disk drive			
N8150-230-O	HDD SATA2 3.5" Fix 7,2K 500GB	78	☐
N8150-260-O	HDD SATA2 3.5" Fix 7,2K 1TB	110	☐
N8150-284-O	HDD SATA2 3.5" Fix 7,2K 2TB	442	☐
N8150-311-O	HDD SAS 2.5" Fix 10K 146.5GB	104	☐
N8150-312-O	HDD SAS 2.5" Fix 10K 300GB	143	☐
Memory			
N8102-416F	2GB DDR3-1333 ECC Unbuffered SDRAM (1x 2GB, PC3-10600)	39	☐
N8102-417F	4GB DDR3-1333 ECC Unbuffered SDRAM (1x 4GB, PC3-10600)	78	☐
N8102-418F	8GB DDR3-1333 ECC Unbuffered SDRAM (1x 8GB, PC3-10600)	299	☐
RAID controller for internal Hard Disk Drive			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
Backup device add-on			
N8151-102-O	LTO3 - SAS / 400GB	1 351	☐
N8151-78-O	DAT 160GB - USB	558	☐
Battery Backup Unit for RAID controller			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
Connectivity add-on			
K410-173(00)-O	SAS cable for Internal SAS Backup device	30	☐
K410-251(00)	Internal Sas/SATA cable (2,5 Drive)	47	☐
K410-252(00)	Internal Sas/SATA cable (3,5 Drive)	51	☐
K410-254(00)	Internal USB cable	9	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
N8103-142-O	LSI SAS9212-4i4 Host Bus Adaptor (PCIe-8x, 6Gb SAS, 4x external channels,SFF-8088 SAS external connector)	247	☐
Keyboard			
kbd-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
kbd-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
kbd-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
kbd-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐

NEC Reference	Description	Price €	IC*
Keyboard			
kbd-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Management software add on			
N8115-04-O	NEC Remote KVM and Media License Key	12	☐
Miscellaneous Add-on			
CBL-POWR-EU-00	Standard European (Schuko - CEE 7/7) to IEC320 C13 Power Cable kit (1 cable)	6	☐
CBL-POWR-GB-00	Standard British (BS 1363/A) to IEC320 C13 Power Cable kit (1 cable)	6	☐
Network adapters			
N8104-134	Broadcom NetXtreme II 1000Base-T dual Port (2x RJ45, PCIe X4) LP/FH	91	☐
Optical Device Add on			
N8151-104F	Internal Slim DVD superMulti Drive	52	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99904	Multilingual Microsoft® Windows® Server 2008 R2 Foundations 64bits - ROK	143	☐
Warranty add-on			
WARSTD01-XX-001	WARRANTY DOCUMENTATION CAT1	1	☐
Warranty Extension			
RWYG5SB010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT1)	156	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Express5800/T120b-E

A 2-socket tower server for small to medium businesses looking for secured data storage and flexible configuration. Ideal for applications like Sage, distributed files or data and web servers.
It can support up to 2 dual Xeons X5650, 192GB of memory, 8 HDD, 2 backups, hot plug PSU and redundant fan.
The EXPRESSBUILDER setup tool provides a step by step guide or Express setup function to reduce the hand-on management and installation time.
The remote management tool and separate port provide security access and remote management including OS installation, RAID configuration, power capping, hardware monitoring and LCD panel view in order to save time and efforts

NEC Reference	Description	Price €	IC*
Alimentation model			
N8181-71AF-I	Hotswap power supply model	221	☑
NEC T120b-E / 1*E5606 / 1*4GB DDR3-1333 / 2"5 HS HDD cage / HS PSU / DVD			
T03-N4B-0018	1 * Model T120b-E Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less (DDR3-1066), DVD 1 * Hotswap power supply model 1 * 2.5' HotSwap SAS & SSD 8x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 430	☐
NEC T120b-E / 1*E5606 / 1*4GB DDR3-1333 / 3"5 HS HDD cage / HS PSU / DVD			
T03-N4B-0015	1 * Model T120b-E Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less (DDR3-1066), DVD 1 * Hotswap power supply model 1 * 3,5" Hotswap SATA 4x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 396	☐
NEC T120b-E / 1*E5620 / 1*4GB DDR3-1333 / 3"5 HS HDD cage / HS PSU / DVD			
T03-N4B-0016	1 * Model T120b-E Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD 1 * Hotswap power supply model 1 * 3,5" Hotswap SATA 4x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 552	☐
NEC T120b-E / 1*E5620/ 1*4GB DDR3-1333 / 2"5 HS HDD cage / HS PSU / DVD			
T03-N4B-0019	1 * Model T120b-E Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD 1 * Hotswap power supply model 1 * 2.5' HotSwap SAS & SSD 8x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 586	☐
Barebone			
N8100-1670F-I	Model T120b-E Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD	1 130	☑
N8100-1731F-I	Model T120b-E Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less , DVD	974	☑
N8100-1733F-I	Model T120b-E Xeon(R) E5645 (2.4GHz/12MB L3 Cache), MEM less, DVD	1 558	☑
Power distribution			
CBLXXXXXXX00103	Uk Power Cable	6	☑
CBLXXXXXXX99903	Euro Power Cable	6	☑
Accessories for Network adapters add-on			
N8104-129-O	SFP+ 10GBASE-SR	130	☐
Additional Host Swap Fan module add-on			
N8181-67-O	Fixed Redundant Fan	32	☐
Additional Power add-on			
N8181-72AF-O	Hot swap and Redundant 600W/80+ Silver HS PSU	130	☐
Backup device add-on			
N8151-102-O	LTO3 - SAS / 400GB	1 351	☐
N8151-78-O	DAT 160GB - USB	558	☐

NEC Reference	Description	Price €	IC*
Backup device add-on			
N8151-90-O	LTO4 - SAS / 800GB / 80MB/s	1 818	☐
Battery Backup Unit for RAID controller Add-on			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136-O	BBU + cable 950mm for Promise	130	☐
Chassis Accessory Add-on			
N8143-71-O	Rack Mount kit	649	☐
Connectivity add-on			
K410-173(00)-O	SAS cable for Internal SAS Backup device	30	☐
K410-174(00)-O	SAS/SATA HDD cable for raid board	19	☐
K410-232(00)-O	SAS/SATA HDD cable for onboard raid	13	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
N8103-142-O	LSI SAS9212-4i4 Host Bus Adaptor (PCIe-8x, 6Gb SAS, 4x external channels,SFF-8088 SAS external connector)	247	☐
External Floppy Drive add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard disk drive add-on			
N8150-263-O	HDD SATA2 3.5" HotSwap 7,2K 1TB	130	☐
N8150-274-O	HDD SATA2 3.5" HotSwap 7,2K 500GB	91	☐
N8150-277-O	HDD SATA2 2.5" HotSwap 7,2K 500GB	182	☐
N8150-278-O	HDD SATA2 3.5" HotSwap 7,2K 2TB	325	☐
N8150-300-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
N8150-301-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
N8150-303-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
N8150-304-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
N8150-331-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 300GB	390	☐
N8150-332-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 900GB	805	☐
N8150-334-O	HDD SATA2 2.5" HotSwap 7,2K 1TB	286	☐
N8150-337-O	HDD SATA2 3.5" HotSwap 7,2K 3TB	714	☐
N8150-707-O	HDD SSD 2.5" HotSwap 100GB	1 558	☐
Keyboard Add on			
kbd-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
kbd-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
kbd-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
kbd-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
kbd-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Management software add on			
N8115-03-O	NEC Remote KVM and Media License Key	12	☐
Memory add-on			
N8102-381-O	1x 4GB DDR3-1333, 1.35V/1.5V, Registered	104	☐
N8102-382-O	1x 8GB DDR3-1333, 1.35V/1.5V, Registered	195	☐
N8102-383-O	1x 16GB DDR3-1066, 1.35V/1.5V, Registered	519	☐
Network adapters add-on			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
N8104-125A-O	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-126-O	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	45	☐

NEC Reference	Description	Price €	IC*
Network adapters add-on			
N8104-128-O	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐
Optical devices add-on			
N8151-98-O	DVD Writer SATA	71	☐
Processor add on			
N8101-472-O	Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s)	500	☐
N8101-494-O	Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s)	312	☐
N8101-495-O	Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s)	662	☐
RAID controller for external storage Add-on			
N8103-135-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	312	☐
RAID controller for internal HDD Add-on			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
N8103-134-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty Extension Add-on			
RWYG3SD060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG3SD760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	740	☐
RWYG3SD781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG5SD060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 429	☐
RWYG5SD781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	2 403	☐
Options Inventory Runout			
N8101-470-O	Intel® Xeon® Processor E5503 (Dual Core, 2.00GHz, 4MB, 4.80GT/s)	286	☐
N8101-471-O	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.80GT/s)	312	☐
N8101-473-O	Intel® Xeon® Processor E5640 (QuadCore, 2.66GHz, 12MB, 5.86GT/s)	948	☐
N8102-380-O	1x 2GB DDR3-1333, 1.35V/1.5V, Registered	78	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Express5800/T120b-M

A 2-socket tower server with high storage capacity for medium to large businesses with compute-intensive environments. Ideal for business-critical applications and high volume of data with back-end databases.
It can support up to 2 dual Xeons X5675 series, 192GB of memory, 16 HDD, 2 backups, hot plug PSU and fan.
The EXPRESSBUILDER setup tool provides a step by step guide or Express setup function to reduce the hand-on management and installation time.
The remote management tool and separate port provide security access and remote management including OS installation, RAID configuration, power capping, hardware monitoring and LCD panel view in order to save time and efforts.

NEC Reference	Description	Price €	IC*
NEC T120b-M / 1*E5606 / 1*4GB DDR3-1333 / 3"5 HS HDD cage / HS PSU / DVD			
T04-N4B-0017	1 * Model T120b-M Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less (DDR3-1066), DVD 1 * 3,5" Hotswap SATA HDD 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 378	☐
NEC T120b-M / 1*E5620 / 1*4GB DDR3-1333 / 3"5 HS HDD cage / HS PSU / DVD			
T04-N4B-0018	1 * Model T120b-M Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD 1 * 3,5" Hotswap SATA HDD 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 638	☐
NEC T120b-M/ 1*E5606/ 1*4GB DDR3-1333/ 2"5 HS HDD cage / HS PSU / DVD			
T04-N4B-0021	1 * Model T120b-M Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less (DDR3-1066), DVD 1 * 2.5' HotSwap SAS & SSD 8x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 404	☐
NEC T120b-M/ 1*E5620/ 1*4GB DDR3-1333/ 2"5 HS HDD cage / HS PSU / DVD			
T04-N4B-0022	1 * Model T120b-M Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD 1 * 2.5' HotSwap SAS & SSD 8x HDD cage 1 * 1x 4GB DDR3-1333, 1.35V/1.5V, Registered 1 * No HDD 1 * SATA-2 On board RAID Controller (RAID 0, 1, 10) 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 664	☐
Barebone			
N8100-1665F-I	Model T120b-M Xeon(R) E5620 (2.40GHz/12MB L3 Cache), MEM less (DDR3-1066), DVD	1 429	☑
N8100-1728F-I	Model T120b-M Xeon(R) E5645 (2.40GHz/4MB L3 Cache), MEM less, DVD	1 688	☑
N8100-172FFR-I	Model T120b-M Xeon(R) E5606 (2.13GHz/8MB L3 Cache), MEM less, DVD	1 169	☑
N8100-1730F-I	Model T120b-M Xeon(R) X5675 (3.06GHz/12MB L3 Cache), MEM less, DVD	2 727	☑
Management software			
N8115-03-I	NEC Remote KVM and Media License Key	12	☑
Power distribution			
CBLXXXXXXX00103	Uk Power Cable	6	☑
CBLXXXXXXX99903	Euro Power Cable	6	☑
Accessories for Network adapters add-on			
N8104-129-O	SFP+ 10GBASE-SR	130	☐
Additional Host Swap Fan module add-on			
N8181-66-O	HotSwap Redundant Fan kit	45	☐
Additional Power add-on			
N8181-72AF-O	Hot swap and Redundant 600W/80+ Silver HS PSU	130	☐
Backup device add-on			
N8151-102-O	LTO3 - SAS / 400GB	1 351	☐
N8151-78-O	DAT 160GB - USB	558	☐
N8151-90-O	LTO4 - SAS / 800GB / 80MB/s	1 818	☐

NEC Reference	Description	Price €	IC*
Battery Backup Unit for RAID controller Add-on			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136-O	BBU + cable 950mm for Promise	130	☐
Connectivity add-on			
K410-173(00)-O	SAS cable for Internal SAS Backup device	30	☐
K410-174(00)-O	SAS/SATA HDD cable for raid board	19	☐
K410-232(00)-O	SAS/SATA HDD cable for onboard raid	13	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
N8103-142-O	LSI SAS9212-4i4 Host Bus Adaptor (PCIe-8x, 6Gb SAS, 4x external channels,SFF-8088 SAS external connector)	247	☐
Controller for external SAN add-on			
N8190-153-O	Emulex LPe1250 F8 8Gb/s (PCIe 2.0 (x8))	974	☐
N8190-154-O	Emulex LPe12002-M8 8Gb/s 2ch (PCIe 2.0 (x8))	1 299	☐
External Floppy Drive add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard disk drive add-on			
N8150-263-O	HDD SATA2 3.5" HotSwap 7,2K 1TB	130	☐
N8150-274-O	HDD SATA2 3.5" HotSwap 7,2K 500GB	91	☐
N8150-277-O	HDD SATA2 2.5" HotSwap 7,2K 500GB	182	☐
N8150-278-O	HDD SATA2 3.5" HotSwap 7,2K 2TB	325	☐
N8150-300-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
N8150-301-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
N8150-303-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
N8150-304-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
N8150-331-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 300GB	390	☐
N8150-332-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 900GB	805	☐
N8150-334-O	HDD SATA2 2.5" HotSwap 7,2K 1TB	286	☐
N8150-337-O	HDD SATA2 3.5" HotSwap 7,2K 3TB	714	☐
N8150-707-O	HDD SSD 2.5" HotSwap 100GB	1 558	☐
HDD Cage			
N8154-24-O	2.5' HotSwap SAS & SSD HDD cage	117	☐
N8154-25-O	3,5" Hotswap SATA HDD cage	91	☐
Keyboard Add on			
kbd-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
kbd-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
kbd-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
kbd-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
kbd-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Management software add on			
N8115-03-O	NEC Remote KVM and Media License Key	12	☐
Memory add-on			
N8102-381-O	1x 4GB DDR3-1333, 1.35V/1.5V, Registered	104	☐
N8102-382-O	1x 8GB DDR3-1333, 1.35V/1.5V, Registered	195	☐
N8102-383-O	1x 16GB DDR3-1066, 1.35V/1.5V, Registered	519	☐
Network adapters add-on			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐

NEC Reference	Description	Price €	IC*
Network adapters add-on			
N8104-125A-O	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-126-O	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	45	☐
N8104-128-O	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐
Optical devices add-on			
N8151-98-O	DVD Writer SATA	71	☐
Processor add on			
N8101-472-O	Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s)	500	☐
N8101-494-O	Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s)	312	☐
N8101-495-O	Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s)	662	☐
N8101-497-O	Intel® Xeon® Processor X5675 (6 Core, 3.06GHz, 12MB, 6,40GT/s)	1 597	☐
RAID controller for external storage Add-on			
N8103-135-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	312	☐
RAID controller for internal HDD Add-on			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
N8103-134-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty Extension Add-on			
RWYG3SF060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	766	☐
RWYG3SF760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 065	☐
RWYG3SF781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 623	☐
RWYG5SF010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT3)	779	☐
RWYG5SF060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 883	☐
RWYG5SF760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	2 494	☐
RWYG5SF781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	3 338	☐
Options Inventory Runout			
N8101-471-O	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.80GT/s)	312	☐
N8101-473-O	Intel® Xeon® Processor E5640 (QuadCore, 2.66GHz, 12MB, 5.86GT/s)	948	☐
N8101-475-O	Intel® Xeon® Processor X5670 (6 Core, 2.93GHz, 12MB, 6.40GT/s)	1 714	☐
N8102-379-O	1x 1GB DDR3-1333, 1.35V/1.5V, Registered	39	☐
N8102-380-O	1x 2GB DDR3-1333, 1.35V/1.5V, Registered	78	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Express5800/R120b-1

1U slim 2-socket rack server with uncompromising performance and affordability, for space constrained environments. Ideal for applications like Sage, distributed files or data and web servers.
It can support up to 2 dual Xeons X5675, 192GB of memory, 6 HDD, hot plug PSU and redundant fan.
The EXPRESSBUILDER setup tool provides a step by step guide or Express setup function to reduce the hand-on management and installation time.
The remote management tool and separate port provide all the security access and distant operations including OS installation, RAID configuration, power capping, hardware monitoring and LCD panel view in order to save time and efforts.

NEC Reference	Description	Price €	IC*
NEC R120b-1 / 1*E5606 / 1*4GB DDR3-1333 / 2"5 HDD cage / HS PSU			
R06-N4B-0033-B12	1 * NEC Server R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-1 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 1x PCI EXPRESS 2.0(x16) + 1x PCI EXPRESS 2.0(x8) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 630	☐
NEC R120b-1 / 1*E5606 / 1*4GB DDR3-1333 / 3"5 HDD cage / HS PSU			
R06-N4B-0030-B13	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-1 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 4MB, 4.80GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 1x PCI EXPRESS 2.0(x16) + 1x PCI EXPRESS 2.0(x8) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 630	☐
NEC R120b-1 / 1*E5620 / 1*4GB DDR3-1333 / 2"5 HDD cage / HS PSU2			
R06-N4B-0034-B12	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-1 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 1x PCI EXPRESS 2.0(x16) + 1x PCI EXPRESS 2.0(x8) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 818	☐
NEC R120b-1 / 1*E5620 / 1*4GB DDR3-1333 / 3"5 HDD cage / HS PSU			
R06-N4B-0031-B13	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-1 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 1x PCI EXPRESS 2.0(x16) + 1x PCI EXPRESS 2.0(x8) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2)	1 818	☐
Base Unit			
N8100-171U2.5-I	NEC Server R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no CPU, no RAM, no 2.5' HDD, no DVD-ROM, no FDD	1 169	☑
N8100-171U3.5-I	NEC Server R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 - no CPU, no RAM, no 3.5' HDD, no DVD-ROM, no FDD	1 169	☑
Front Bezel			
N8146-18F-I	R120b-1 - front bezel	21	☑
Rack accessory			
N8143-70-I	Cable Arm	16	☑
Accessories for Network adapters add-on			
N8104-129-O	SFP+ 10GBASE-SR	130	☐
Additional Host Swap Fan module add-on			
N8181-65-O	HotSwap Redundant 4 Fans kit	45	☐

NEC Reference	Description	Price €	IC*
Additional Power add-on			
N8181-76F-O	Hot swap and Redundant 650w 80+ gold power supply	169	☐
Backup device add-on			
N8151-78-O	DAT 160GB - USB	558	☐
Battery Backup Unit for RAID controller Add-on			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136-O	BBU + cable 950mm for Promise	130	☐
Connectivity add-on			
K410-195(00)-O	USB cable for Internal USB Backup device	30	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
N8103-142-O	LSI SAS9212-4i4 Host Bus Adaptor (PCIe-8x, 6Gb SAS, 4x external channels,SFF-8088 SAS external connector)	247	☐
Controller for external SAN add-on			
N8190-153-O	Emulex LPe1250 F8 8Gb/s (PCIe 2.0 (x8))	974	☐
N8190-154-O	Emulex LPe12002-M8 8Gb/s 2ch (PCIe 2.0 (x8))	1 299	☐
External Floppy Drive add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard disk drive add-on			
N8150-263-O	HDD SATA2 3.5" HotSwap 7,2K 1TB	130	☐
N8150-274-O	HDD SATA2 3.5" HotSwap 7,2K 500GB	91	☐
N8150-277-O	HDD SATA2 2.5" HotSwap 7,2K 500GB	182	☐
N8150-278-O	HDD SATA2 3.5" HotSwap 7,2K 2TB	325	☐
N8150-300-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
N8150-301-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
N8150-303-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
N8150-304-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
N8150-331-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 300GB	390	☐
N8150-332-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 900GB	805	☐
N8150-334-O	HDD SATA2 2.5" HotSwap 7,2K 1TB	286	☐
N8150-337-O	HDD SATA2 3.5" HotSwap 7,2K 3TB	714	☐
N8150-707-O	HDD SSD 2.5" HotSwap 100GB	1 558	☐
Keyboard			
KBD-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
KBD-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
KBD-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
KBD-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
KBD-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Memory add-on			
N8102-373-O	1x 4GB DDR3-1333, 1.35V/1.5V, Registered	104	☐
N8102-374-O	1x 8GB DDR3-1333, 1.35V/1.5V, Registered	195	☐
N8102-375-O	1x 16GB DDR3-1066, 1.35V/1.5V, Registered	519	☐
Network adapters add-on			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
N8104-125A-O	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-126-O	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	45	☐
N8104-128-O	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐

NEC Reference	Description	Price €	IC*
Optical devices add-on			
N8151-97-O	SATA DVD superMulti Slim 4,7/9,4GB	71	☐
Processor add on			
N8101-465-O	Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) for 1U server	500	☐
N8101-489F-O	Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s)	312	☐
N8101-490F-O	Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s)	662	☐
N8101-492F-O	Intel® Xeon® Processor X5675 (6 Core, 3.06GHz, 12MB, 6,40GT/s)	1 597	☐
RAID controller for external storage Add-on			
N8103-134-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
N8103-135-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	312	☐
RAID controller for internal HDD Add-on			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
Riser Board Add-on			
N8116-23-O	1x PCI-X 64/133MHz + 1x PCI-Express2 x8 (Full Height , 3.3V)	58	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty Extension Add-on			
RWYG3SD060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG3SD760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	740	☐
RWYG3SD781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG5SD060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 429	☐
RWYG5SD781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	2 403	☐
Options Inventory Runout			
N8101-456-O	Intel® Xeon® Processor E5503 (Dual Core, 2.00GHz, 4MB, 4.80GT/s) for 1U server	286	☐
N8101-464-O	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.80GT/s) for 1U server	312	☐
N8101-466-O	Intel® Xeon® Processor E5640 (QuadCore, 2.66GHz, 12MB, 5.86GT/s) for 1U server	948	☐
N8101-468-O	Intel® Xeon® Processor X5670 (6 Core, 2.93GHz, 12MB, 6,40GT/s) for 1U server	1 714	☐
N8102-371-O	1x 1GB DDR3-1333, 1.35V/1.5V, Registered	39	☐
N8102-372-O	1x 2GB DDR3-1333, 1.35V/1.5V, Registered	78	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Express5800/R120b-2

2U 2-sockets rack server for medium to large businesses needing superior expandability, reliability and manageability to perform compute-intensive tasks. Ideal for application servers, databases or web servers.
It can support up to 2 dual Xeons X5690, 192GB of memory, 12 HDD, 1 backup, hot plug PSU and fan.
The EXPRESSBUILDER setup tool provides a step by step guide or Express setup function to reduce the hand-on management and installation time.
The remote management tool and separate port provide security access and remote management including OS installation, RAID configuration, power capping, hardware monitoring and LCD panel view in order to save time and efforts.

NEC Reference	Description	Price €	IC*
NEC R120b-2 / 1*E5606 / 1*4GB DDR3-1333 / 2"5 HDD cage / HS PSU			
R06-N4B-0040-B22	1 * NEC Server R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-2 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 3x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 695	☐
NEC R120b-2 / 1*E5606 / 1*4GB DDR3-1333 / 3"5 HDD cage / HS PSU			
R06-N4B-0037-B23	1 * NEC Server R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-2 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 3x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 695	☐
NEC R120b-2 / 1*E5620 / 1*4GB DDR3-1333 / 2"5 HDD cage / HS PSU			
R06-N4B-0041-B22	1 * NEC Server Express5800/R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-2 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 3x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 883	☐
NEC R120b-2 / 1*E5620 / 1*4GB DDR3-1333 / 3"5 HDD cage / HS PSU			
R06-N4B-0038-B23	1 * NEC Server Express5800/R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no DVD-ROM, no FDD 1 * Front Bezel for Express5800/R120b-2 1 * Cable Arm kit (One Touch Rails compatible only) 1 * Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) 1 * 4GB DDR3-1333, 1.35V/1.5V, Registered (1x 4GB, PC3-10600) 1 * 3x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) Std riser 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) only for Windows. Linux not supported. 1 * No HDD□1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3)	1 883	☐
Base Unit			
N8100-172U2.5-I	NEC Server R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no CPU, no RAM, no 2.5' HDD, no DVD-ROM, no FDD	1 234	☑
N8100-172U3.5-I	NEC Server R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 - no CPU, no RAM, no 3.5' HDD, no DVD-ROM, no FDD	1 234	☑
Front Bezel			
N8146-17F-I	R120b-1 - front bezel	21	☑
Rack accessory			
N8143-70-I	Cable Arm	16	☑
Accessories for Network adapters add-on			
N8104-129-O	SFP+ 10GBASE-SR	130	☐

NEC Reference	Description	Price €	IC*
Additional Host Swap Fan module add-on			
N8181-65-O	HotSwap Redundant 4 Fans kit	45	☐
Additional Power add-on			
N8181-77F-O	Hot swap and Redundant 750w 80+ gold power supply	169	☐
Backup device add-on			
N8151-78-O	DAT 160GB - USB	558	☐
Battery Backup Unit for RAID controller Add-on			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136-O	BBU + cable 950mm for Promise	130	☐
Chassis accessory Add on			
N8154-35F-O	HDD Cage SATA-2 / SAS HotSwap 2.5" 4x Server 2U	117	☐
Chassis accessory add-on			
N8154-35F-O	HDD Cage SATA-2 / SAS HotSwap 2.5" 4x Server 2U	117	☐
Connectivity add-on			
K410-195(00)-O	USB cable for Internal USB Backup device	30	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-142-O	LSI SAS9212-4i4 Host Bus Adaptor (PCIe-8x, 6Gb SAS, 4x external channels,SFF-8088 SAS external connector)	247	☐
Controller for external SAN add-on			
N8190-153-O	Emulex LPe1250 F8 8Gb/s (PCIe 2.0 (x8))	974	☐
N8190-154-O	Emulex LPe12002-M8 8Gb/s 2ch (PCIe 2.0 (x8))	1 299	☐
External Floppy Drive add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard disk drive add-on			
N8150-263-O	HDD SATA2 3.5" HotSwap 7,2K 1TB	130	☐
N8150-274-O	HDD SATA2 3.5" HotSwap 7,2K 500GB	91	☐
N8150-277-O	HDD SATA2 2.5" HotSwap 7,2K 500GB	182	☐
N8150-278-O	HDD SATA2 3.5" HotSwap 7,2K 2TB	325	☐
N8150-300-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
N8150-301-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
N8150-303-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
N8150-304-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
N8150-331-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 300GB	390	☐
N8150-332-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 900GB	805	☐
N8150-334-O	HDD SATA2 2.5" HotSwap 7,2K 1TB	286	☐
N8150-337-O	HDD SATA2 3.5" HotSwap 7,2K 3TB	714	☐
N8150-707-O	HDD SSD 2.5" HotSwap 100GB	1 558	☐
Keyboard			
KBD-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
KBD-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
KBD-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
KBD-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
KBD-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Memory add-on			
N8102-373-O	1x 4GB DDR3-1333, 1.35V/1.5V, Registered	104	☐
N8102-374-O	1x 8GB DDR3-1333, 1.35V/1.5V, Registered	195	☐
N8102-375-O	1x 16GB DDR3-1066, 1.35V/1.5V, Registered	519	☐

NEC Reference	Description	Price €	IC*
Network adapters add-on			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
N8104-125A-O	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-126-O	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	45	☐
N8104-128-O	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐
Optical devices add-on			
N8151-97-O	SATA DVD superMulti Slim 4,7/9,4GB	71	☐
Processor add on			
N8101-458-O	Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s) for 2U server	500	☐
N8101-484F-O	Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s)	312	☐
N8101-485F-O	Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s)	662	☐
N8101-487F-O	Intel® Xeon® Processor X5675 (6 Core, 3.06GHz, 12MB, 6,40GT/s)	1 597	☐
RAID controller for external storage Add-on			
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
N8103-135-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	312	☐
RAID controller for internal HDD Add-on			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
N8103-134-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
Riser Board Add-on			
N8116-21-O	Opt riser -2x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) + 1x 64bit/133MHz PCI-X	45	☐
N8116-22-O	Opt riser -1x PCI EXPRESS 2.0(x8) + 1x PCI EXPRESS 2.0(x4) + 1x PCI EXPRESS(x4) + 2x 64bit/33MHz 5V PCI	45	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty Extension Add-on			
RWYG3SF060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	766	☐
RWYG3SF760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 065	☐
RWYG3SF781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 623	☐
RWYG5SF010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT3)	779	☐
RWYG5SF060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 883	☐
RWYG5SF760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	2 494	☐
RWYG5SF781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	3 338	☐
Options Inventory Runout			
N8101-457-O	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.80GT/s) for 2U server	312	☐
N8101-459-O	Intel® Xeon® Processor E5640 (QuadCore, 2.66GHz, 12MB, 5.86GT/s) for 2U server	948	☐
N8101-461-O	Intel® Xeon® Processor X5670 (6 Core, 2.93GHz, 12MB, 6,40GT/s) for 2U server	1 714	☐
N8101-463-O	Intel® Xeon® Processor E5503 (Dual Core, 2.00GHz, 4MB, 4.80GT/s) for 2U server	286	☐
N8102-371-O	1x 1GB DDR3-1333, 1.35V/1.5V, Registered	39	☐
N8102-372-O	1x 2GB DDR3-1333, 1.35V/1.5V, Registered	78	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

The high-density & performance enterprise server. A platform truly dedicated to virtualisation.

The NEC Express5800/R140b-4 server is a 4-way enterprise server, designed to provide scalable performance and expandable capacity with proven enterprise-class reliability. These benefits together with the excellent compactness of a 4U rack form factor provide an ideal foundation for server consolidation, enterprise computing, complex transactions and virtualization. Standardly delivered with management tools as ExpressBuilder, ESMPRO, ExpressUpdate and ExpressScope.

NEC Reference	Description	Price €	IC*
Additional Host Swap Power module			
N8115-03	NEC Remote KVM and Media License Key	12	☐
N8181-68F	Hot swap and Redundant 850w 80+ gold power supply	221	☐
Back-up Device Accessory Add-on			
AIP-2111-00-00	1-Pack Cleaning cartridge LTO	40	☐
AIP-8110-00-00	1-Pack Blank cartridge LTO3	50	☐
AIP-8110-50-00	5-Pack Blank cartridge LTO3	190	☐
MED-LTO4-DC-11	1-Pack Blank cartridge LTO4	65	☐
MED-LTO4-DC-15	5-Pack Blank cartridge LTO4	260	☐
Battery Back up unit for RAID controller			
N8103-124	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136	Battery Backup Unit for Promise controller	130	☐
Controller card for back device and libraries			
N8103-104A	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	247	☐
N8103-107	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	143	☐
Controller for external SAN			
N8190-153	Emulex LPe1250 F8 8Gb/s (PCIe 2.0 (x8))	974	☐
N8190-154	Emulex LPe12002-M8 8Gb/s 2ch (PCIe 2.0 (x8))	1 299	☐
Front bezel			
N8146-15F	R140b-4 - front bezel	117	☐
Internal Backup Device			
K410-173(00)	SAS cable for Internal SAS Backup device	30	☐
N8151-102	LTO-3 (400/800GB) SAS Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 351	☐
N8151-90	LTO-4 (800/1600GB) SAS Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 818	☐
Internal Hard Disk Drive			
N8150-306	HDD SAS 2.5" HotSwap 10K 146.5GB	169	☐
N8150-307	HDD SAS 2.5" HotSwap 10K 300GB	234	☐
N8150-309	HDD SAS 2.5" HotSwap 15K 146.5GB	208	☐
N8150-318	HDD SAS 2.5" HotSwap 10K 600GB	468	☐
N8150-320	500GB HDD SATA2, 2.5”SFF, 7,200rpm, Intel Carrier	182	☐
N8150-321	HDD SAS 2.5" HotSwap 10K 450GB	325	☐
N8150-703	50GB SSD, Sata2 2.5” SSD, Intel Carrier	779	☐
License Software			
DOC-SV08-MS-01	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (English)	104	☐
DOC-SV08-MS-02	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (French)	104	☐
DOC-SV08-MS-03	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (German)	104	☐
DOC-SV08-MS-04	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Spanish)	104	☐
DOC-SV08-MS-06	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Italian)	104	☐
Memory			
N8102-345	2x Memory Riser (Up to 8x Dimm / Riser)	416	☐
N8102-347	4GB (2 * 2GB), DDR3-1066, Registered	117	☐
N8102-348	8GB (2 * 4GB), DDR3-1066, Registered	208	☐

NEC Reference	Description	Price €	IC*
Memory			
N8102-349	16GB (2 * 8GB), DDR3-1066, Registered	390	☐
NEC Express5800/R140b-4			
N8100-1601F	NEC Express5800/R140b-4 barebone	4 156	☑
Network adapters			
N8104-121	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
N8104-125A	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-126	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	104	☐
N8104-128	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐
Optical			
N8151-100	SATA DVD Slim	52	☐
N8151-97	SATA DVD superMulti Slim 4,7/9,4GB	71	☐
Processor			
N8101-449	2x CPU Intel® Xeon® Processor E7520 (4 Core, 1.86GHz)	2 078	☐
N8101-450	2x CPU Intel® Xeon® Processor E7530 (6 Core, 1.86GHz)	3 247	☐
N8101-451	2x CPU Intel® Xeon® Processor X7560 (8 Core, 2.27GHz)	8 831	☐
RAID controller for external storage			
N8103-134	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
N8103-135	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	558	☐
RAID controller for internal Hard Disk Drive			
N8103-129	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
service Add-on			
N8100-1601F_BTO1	Express5800/R140b-4 factory integration & test	208	☑
NPASSR140XXX	R140b-4 installation and configuration	844	☑
Software			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty			
RWYG3SH060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 247	☐
RWYG3SH760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 558	☐
RWYG3SH781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT4)	1 169	☐
RWYG5SH060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	3 247	☐
RWYG5SH781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	5 130	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

All-in-one IT infrastructure: servers, storage (SAN/NAS), network and management combined in a single 6U system. Ideal for SMB's with budgetary restrictions who want to reduce administration time and efforts
It can support up to 6 dual Xeons servers with 96GB or memory, 14HDD, 10 external ports GBE full duplex, VLAN, redundant PSU, fan, RAID and switches.
The management tool helps the administrator to setup the system and the network of virtual pools very easily.
The diagnostic tools provide all necessary functions to analyze the configuration and hardware in case of failure.

NEC Reference	Description	Price €	IC*
NEC FlexPower + 1*Compute Module (1x E5606 CPU / 1*8GB DDR3 1333) + 1*SAS 2"5 10k 146GB HDD			
R01-N4B-0001	1 * NEC Server FlexPower enclosure (including 2x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, 1x management module and management Software), no compute module, no HDD 1 * WestMere Compute Module with 1x E5606 CPU / 1x 8GB DDR3 1333Mhz registered Memory 1 * HDD SAS 2.5" HotSwap 10K 146.5GB 1 * Ultracare FlexPower Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT7B)	5 247	☐
Additional Host Swap Power module add-on			
ENS-1000-HR-00	1000W Power Supply unit (2x units necessary for 2-4 servers, 3x for 5-6, fourth for redundancy, 110/220V)	273	☐
Chassis accessory			
MCH-TWCK-LN-00	ActiveSilencer: Low Noise Tower kit for Flexpower	909	☐
Compute Module Add-on			
NSC2ON99957	WestMere Compute Module with 1x E5606 CPU / 1x 4GB DDR3 1333Mhz registered Memory	1 299	☐
NSC2ON99959	WestMere Compute Module with 1x E5620 CPU / 1x 4GB DDR3 1333Mhz registered Memory	1 519	☐
NSC2ON99960	WestMere Compute Module with 1x E5645 CPU / 1x 4GB DDR3 1333Mhz registered Memory	1 688	☐
NSC2ON99962	WestMere Compute Module with 1x X5650 CPU / 1x 4GB DDR3 1333Mhz registered Memory	2 247	☐
NSC2ON99948	WestMere Compute Module with 1x E5620 CPU / 1x 8GB DDR3 1333Mhz registered Memory	1 649	☐
NSC2ON99954	WestMere Compute Module with 1x X5650 CPU / 1x 8GB DDR3 1333Mhz registered Memory	2 377	☐
NSC2ON99958	WestMere Compute Module with 1x E5606 CPU / 1x 8GB DDR3 1333Mhz registered Memory	1 429	☐
NSC2ON99961	WestMere Compute Module with 1x E5645 CPU / 1x 8GB DDR3 1333Mhz registered Memory	1 818	☐
Hard Disc Drive Add-on			
HDD-1410-S2-00	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
HDD-1415-S2-04	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
HDD-3010-S2-00	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
HDD-6000-00-01	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
HDD-9000-00-01	HDD SAS 2.5" HotSwap 10K (6Gbps) 900GB	805	☐
Keyboard and mouse pack			
PKM-UBSN-01-00	USB Keyboard (105 keys) + USB Mouse Pack - English	21	☐
PKM-UBSN-02-00	USB Keyboard (105 keys) + USB Mouse Pack - French	21	☐
PKM-UBSN-03-00	USB Keyboard (105 keys) + USB Mouse Pack - German	21	☐
PKM-UBSN-04-00	USB Keyboard (105 keys) + USB Mouse Pack - Spanish	21	☐
PKM-UBSN-06-00	USB Keyboard (105 keys) + USB Mouse Pack - Italian	21	☐
PKM-UBSN-13-00	USB Keyboard (105 keys) + USB Mouse Pack - Belgium FR	29	☐
PKM-UBSN-21-00	USB Keyboard (105 keys) + USB Mouse Pack - Arabic UK	29	☐
Memory Add-on			
MEM-0410-R3-05	4GB DDR3-1333Mhz ECC Registered SDRAM (1x 4GB)	104	☐
MEM-0810-R3-03	8GB DDR3-1333Mhz ECC Registered SDRAM (1x 8GB)	208	☐
Network Adapters Add-on			
COM-LC01-Z2-01	Nehalem/Westmere LAN Mezzanine Card (2-port Gigabyte Ethernet) (One card required on each compute module with optional Gigabyte Ethernet Switch)	156	☐
COM-LS10-MA-00	Redundant Gigabyte Ethernet switch module (REQUIRES ONE MEZZANINE CARD (COM-LC01-Z2-00) PER INSTALLED COMPUTE MODULE)	1 429	☐
Optical Devices			
DVD-WEUH-BL-00	External USB DVD Writer (RW+/-, USB 2.0) European Power cord only	104	☐
Power cables			
CBL-POWR-EU-01	Standard European (Schuko - CEE 7/7) to IEC320 C13 Power Cable kit (2 cables)	13	☐

NEC Reference	Description	Price €	IC*
Power cables			
CBL-POWR-GB-01	Standard British (BS 1363/A) to IEC320 C13 Power Cable kit (2 cables)	13	☐
Processor Add-on			
CPU-5606-EI-01	Intel® Xeon® Processor E5606 (QuadCore, 2.13GHz, 8MB, 4.80GT/s)	312	☐
CPU-5620-EI-01	Intel® Xeon® Processor E5620 (QuadCore, 2.40GHz, 12MB, 5.86GT/s)	500	☐
CPU-5645-EI-01	Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s)	662	☐
CPU-5650-EI-01	Intel® Xeon® Processor X5650 (6 Core, 2.66GHz, 12MB, 6,40GT/s)	1 143	☐
Storage Controllers Add-on			
HBA-SFR9-3G-00	Redundant SAS Storage module (with battery backup; 4x external SAS ports, Windows only)	1 948	☐
MFSADVMGMT	Flexpower Advanced Management Pack (Provides support for import/export of all CM settings)	130	☑
V-LUNCOPIER	Flexpower LUN Copier support	416	☑
V-SHAREDLUN	Flexpower Enhanced SAN support kit (to enable sharing virtual disks accross several compute modules)	299	☐
Warranty Extension Add-on			
RWYG3ST060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT7B)	1 455	☐
RWYG3ST781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT7B)	2 727	☐
RWYG5ST010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT7B)	1 169	☐
RWYG5ST060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT7B)	3 182	☐
RWYG5ST781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT7B)	6 182	☐
Warranty Extension Add-on for Compute module			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐
Options Inventory Runout			
CPU-5640-EI-01	Intel® Xeon® Processor E5640 (QuadCore, 2.66GHz, 12MB, 5.86GT/s)	948	☐
MEM-0206-F2-01	2GB FBD DDR2-667 ECC Registered SDRAM (2x 1GB, PC2-5300)	78	☐
MEM-0406-F2-01	4GB FBD DDR2-667 ECC Registered SDRAM (2x 2GB)	104	☐
MEM-0410-R3-03	4GB DDR3-1066Mhz ECC Registered SDRAM (1x 4GB, PC3-8500, 1.5V, Nehalem Compute Module Only)	104	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Blade			
N8400-110F-I	NEC B120b Blade Server base Model 0 (Intel Xeon X5670, no memory, no HDD) [N8400-110F]	2 600	☑
N8400-111F-I	NEC B120b Blade Server base Model 0 (Intel Xeon X5650, no memory, no HDD) [N8400-111F]	2 100	☑
N8400-112F-I	NEC B120b Blade Server base Model 0 (Intel Xeon X5645, no memory, no HDD) [N8400-112F]	1 688	☑
N8400-113F-I	NEC B120b Blade Server base Model 0 (Intel Xeon X5606, no memory, no HDD) [N8400-113F]	1 234	☑
N8400-114F-I	NEC B120b Blade Server base Model 0 (Intel Xeon L5640, no memory, no HDD) [N8400-114F]	2 100	☑
Adapters			
N8403-017-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL) [N8403-017]	130	☐
N8403-018-O	Dual Port Fibre Channel HBA 4Gb Optical (Type 1) [N8403-018]	558	☐
N8403-020-O	Quad Port Gigabit Ethernet (Type 2, 4x 10/100/1000, PCIe-X8, AOL/WOL) [N8403-020]	208	☐
N8403-021-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-021]	130	☐
N8403-022-O	Quad Port Gigabit Ethernet (4x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-022]	208	☐
N8403-024-O	10GBE ADAPTER 2CH [N8403-024]	779	☐
N8403-026-O	RAID-SAS SAS PCIe-8x with 256MByte cache RAID 0-1 [N8403-026]	221	☐
N8403-027-O	SATA Interface card [N8403-027]	91	☐
N8403-034-O	Dual Port Fibre Channel HBA 8Gb Optical (Type 1) [N8403-034]	558	☐
N8403-035-O	Dual Port 10Gb Ethernet (Type 1, 2x 10GbE, PCIe-X4, AOL/WOL) [N8403-035]	273	☐
CPU			
N8401-052-O	Additionnal IntelÂ® XeonÂ® Processor X5670 (6 Cores, 2.93GHz, 12MB, 6.4GT/s) [N8401-052]	1 714	☐
N8401-053-O	Additionnal IntelÂ® XeonÂ® Processor L5640 (6 Cores, 2.26GHz, 12MB, 5.86GT/s) [N8401-053]	1 195	☐
N8401-055-O	Additionnal IntelÂ® XeonÂ® Processor X5650 (6 Cores, 2.66GHz, 12MB, 5.86GT/s) [N8401-055]	1 143	☐
N8401-056F-O	Additionnal IntelÂ® XeonÂ® Processor E5645 (6 Cores, 2.4GHz, 12MB, 5.86GT/s) [N8401-056F]	662	☐
N8401-057F-O	Additionnal IntelÂ® XeonÂ® Processor E5606 (4 Cores, 2,13GHz, 8MB, 4.8GT/s) [N8401-057F]	312	☐
Internal Hard disk drive			
N8450-023-O	HDD SAS 2.5" HotSwap 10K 146.5GB [N8450-023]	169	☐
N8450-024-O	HDD SAS 2.5" HotSwap 10K 300GB [N8450-024]	234	☐
N8450-025-O	HDD SAS 2.5" HotSwap 15K 73GB [N8450-025]	169	☐
N8450-026-O	HDD SAS 2.5" HotSwap 15K 146.5GB [N8450-026]	208	☐
N8450-028-O	HDD SATA 2.5" HotSwap 7.2K 160GB [N8450-028]	130	☐
N8450-029-O	HDD SATA 2.5" HotSwap 7.2K 500GB [N8450-029]	182	☐
N8450-030-O	HDD SAS 2.5" HotSwap 10K 600GB [N8450-030]	468	☐
N8450-037-O	HDD SATA 2.5" HotSwap 7.2K 1TB [N8450-037]	286	☐
Memory			
N8402-048F-O	16GB DDR3-1066 ECC Registered SDRAM (1x 16GB, PC3-8500) [N8402-048F]	390	☐
N8402-059F-O	2GB DDR3-1333 ECC Registered SDRAM (1x 2GB, PC3-10600) [N8402-059F]	78	☐
N8402-060F-O	4GB DDR3-1333 ECC Registered SDRAM (1x 4GB, PC3-10600) [N8402-060F]	104	☐
N8402-061F-O	8GB DDR3-1333 ECC Registered SDRAM (1x 8GB, PC3-10600) [N8402-061F]	195	☐
Miscellaneous			
N8160-86-O	Flash Floppy Disk Drive Unit [N8160-86]	71	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐

NEC Reference	Description	Price €	IC*
Warranty Extension			
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Blade NEC Express5800/B120b-d

This blade server is suitable for migrating from existing servers, featuring large capacity memory and scalable expantion slots.
Ideal applications: consolidation and virtualization

NEC Reference	Description	Price €	IC*
Blade			
N8400-117F-I	NEC B120b-d Blade Server base Model 0 (Intel Xeon X5670, no memory, no HDD) [N8400-117F]	2 600	☑
N8400-121F-I	NEC B120b-d Blade Server base Model 0 (Intel Xeon L5640, no memory, no HDD) [N8400-121F]	2 100	☑
Adapters			
N8403-017-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL) [N8403-017]	130	☐
N8403-018-O	Dual Port Fibre Channel HBA 4Gb Optical (Type 1) [N8403-018]	558	☐
N8403-020-O	Quad Port Gigabit Ethernet (Type 2, 4x 10/100/1000, PCIe-X8, AOL/WOL) [N8403-020]	208	☐
N8403-021-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-021]	130	☐
N8403-022-O	Quad Port Gigabit Ethernet (4x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-022]	208	☐
N8403-024-O	10GBE ADAPTER 2CH [N8403-024]	779	☐
N8403-034-O	Dual Port Fibre Channel HBA 8Gb Optical (Type 1) [N8403-034]	558	☐
N8403-035-O	Dual Port 10Gb Ethernet (Type 1, 2x 10GbE, PCIe-X4, AOL/WOL) [N8403-035]	273	☐
CPU			
N8401-052-O	Additionnal IntelÂ® XeonÂ® Processor X5670 (6 Cores, 2.93GHz, 12MB, 6.4GT/s) [N8401-052]	1 714	☐
N8401-053-O	Additionnal IntelÂ® XeonÂ® Processor L5640 (6 Cores, 2.26GHz, 12MB, 5.86GT/s) [N8401-053]	1 195	☐
Memory			
N8402-057F-O	16GB DDR3-1066 ECC Registered SDRAM (1x 16GB, PC3-8500) [N8402-057F]	390	☐
N8402-064F-O	2GB DDR3-1333 ECC Registered SDRAM (1x 2GB, PC3-10600) [N8402-064F]	78	☐
N8402-065F-O	4GB DDR3-1333 ECC Registered SDRAM (1x 4GB, PC3-10600) [N8402-065F]	104	☐
N8402-066F-O	8GB DDR3-1333 ECC Registered SDRAM (1x 8GB, PC3-10600) [N8402-066F]	195	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Blade NEC Express5800/B120b-h

This 2 socket blade adopts a high speed 10Gbase-KR as its standard LAN interface, features high performance processors and 18 DIMM slots to ensure smooth performance even with large numbers of virtual machines.
Ideal applications: large scale server consolidation, virtualization and ERP

NEC Reference	Description	Price €	IC*
Blade			
N8400-099F-I	NEC B120b-h Blade Server base Model 0 (Intel Xeon X5680, no memory, no HDD) [N8400-099F]	3 200	☑
N8400-100F-I	NEC B120b-h Blade Server base Model 0 (Intel Xeon X5650, no memory, no HDD) [N8400-100F]	2 400	☑
N8400-102F-I	NEC B120b-h Blade Server base Model 0 (Intel Xeon E5645, no memory, no HDD) [N8400-102F]	1 948	☑
N8400-103F-I	NEC B120b-h Blade Server base Model 0 (Intel Xeon L5640, no memory, no HDD) [N8400-103F]	2 400	☑
N8400-104F-I	NEC B120b-h Blade Server base Model 0 (Intel Xeon L5630, no memory, no HDD) [N8400-104F]	1 883	☑
Adapters			
N8403-017-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL) [N8403-017]	130	☐
N8403-018-O	Dual Port Fibre Channel HBA 4Gb Optical (Type 1) [N8403-018]	558	☐
N8403-020-O	Quad Port Gigabit Ethernet (Type 2, 4x 10/100/1000, PCIe-X8, AOL/WOL) [N8403-020]	208	☐
N8403-021-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-021]	130	☐
N8403-022-O	Quad Port Gigabit Ethernet (4x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-022]	208	☐
N8403-034-O	Dual Port Fibre Channel HBA 8Gb Optical (Type 1) [N8403-034]	558	☐
N8403-035-O	Dual Port 10Gb Ethernet (Type 1, 2x 10GbE, PCIe-X4, AOL/WOL) [N8403-035]	273	☐
CPU			
N8401-046-O	Additionnal IntelÂ® XeonÂ® Processor X5680 (6 Cores, 2.26GHz, 12MB, 5.86GT/s) [N8401-046]	2 013	☐
N8401-047-O	Additionnal IntelÂ® XeonÂ® Processor X5650 (6 Cores, 2.93GHz, 12MB, 6.4GT/s) [N8401-047]	1 143	☐
N8401-048-O	Additionnal IntelÂ® XeonÂ® Processor E5645 (6 Cores, 2.4GHz, 12MB, 5.86GT/s) [N8401-048]	662	☐
N8401-050-O	Additionnal IntelÂ® XeonÂ® Processor L5640 (6 Cores, 2.26GHz, 12MB, 5.86GT/s) [N8401-050]	1 195	☐
N8401-051-O	Additionnal IntelÂ® XeonÂ® Processor L5630 (4 Cores, 2.13GHz, 12MB, 5.86GT/s) [N8401-051]	714	☐
Internal Hard disk drive			
N8450-703-O	100GB SATA SSD 2,5' [N8450-703]	1 558	☐
Memory			
N8402-050F-O	2GB DDR3-1333 ECC Registered SDRAM (1x 2GB, PC3-10600) [N8402-050F]	78	☐
N8402-051F-O	4GB DDR3-1333 ECC Registered SDRAM (1x 4GB, PC3-10600) [N8402-051F]	104	☐
N8402-052F-O	8GB DDR3-1333 ECC Registered SDRAM (1x 8GB, PC3-10600) [N8402-052F]	195	☐
N8402-053F-O	16GB DDR3-1066 ECC Registered SDRAM (1x 16GB, PC3-8500) [N8402-053F]	390	☐
Vmware			
N8403-038F-O	VMware ESXi 4.1 support kit	149	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Blade NEC Express5800/AD106

This blade server provides large capacity storage with support for advanced RAID levels and extensive I/O scalability to combine with cpu blades B120a-d et B120b-d in the blade enclosure.
Storage and I/O blade

NEC Reference	Description	Price €	IC*
Blade /AD106b			
N8404-003F-I	NEC AD106b Storage I/O blade, SAS RAID 128Mbyte chache, 2 lan Gbe, up to 6 HDD 2.5' SAS 6Gb , two mezzanin boards [N8404-001F]	1 448	☑
Adapters			
N8403-017-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL) [N8403-017]	130	☐
N8403-018-O	Dual Port Fibre Channel HBA 4Gb Optical (Type 1) [N8403-018]	558	☐
N8403-020-O	Quad Port Gigabit Ethernet (Type 2, 4x 10/100/1000, PCIe-X8, AOL/WOL) [N8403-020]	208	☐
N8403-021-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-021]	130	☐
N8403-022-O	Quad Port Gigabit Ethernet (4x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-022]	208	☐
N8403-034-O	Dual Port Fibre Channel HBA 8Gb Optical (Type 1) [N8403-034]	558	☐
N8403-035-O	Dual Port 10Gb Ethernet (Type 1, 2x 10GbE, PCIe-X4, AOL/WOL) [N8403-035]	273	☐
Internal Hard disk drive			
N8450-028-O	HDD SATA 2.5" HotSwap 7.2K 160GB [N8450-028]	130	☐
N8450-029-O	HDD SATA 2.5" HotSwap 7.2K 500GB [N8450-029]	182	☐
N8450-037-O	HDD SATA 2.5" HotSwap 7.2K 1TB [N8450-037]	286	☐
Internal Hard disk drive /AD106a			
N8450-023-O	HDD SAS 2.5" HotSwap 10K 146.5GB [N8450-023]	169	☐
N8450-024-O	HDD SAS 2.5" HotSwap 10K 300GB [N8450-024]	234	☐
N8450-025-O	HDD SAS 2.5" HotSwap 15K 73GB [N8450-025]	169	☐
N8450-026-O	HDD SAS 2.5" HotSwap 15K 146.5GB [N8450-026]	208	☐
N8450-030-O	HDD SAS 2.5" HotSwap 10K 600GB [N8450-030]	468	☐
Internal Hard disk drive /AD106b			
N8450-032-O	HDD SAS 2.5" HotSwap 10K 300GB [N8450-032]	234	☐
N8450-033-O	HDD SAS 2.5" HotSwap 10K 450GB [N8450-033]	325	☐
N8450-034-O	HDD SAS 2.5" HotSwap 10K 600GB [N8450-034]	468	☐
N8450-036-O	HDD SAS 2.5" HotSwap 15K 146.5GB [N8450-036]	208	☐
N8450-702-O	HDD SATA 2.5" HotSwap SSD 100GB [N8450-702]	1 558	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Blade NEC Express5800/AT101a

This LTO4 tape blade provides high speed, large capacity backup to deliver cost, space and management optimised data protection for your blade system.
Tape Blade

NEC Reference	Description	Price €	IC*
Blade			
N8404-002-I	AT101a tape blade, 2 lan Gbe,1 LTO4 drive, two mezzanin boards [N8404-002]	2 857	☐
Adapters			
N8403-017-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL) [N8403-017]	130	☐
N8403-018-O	Dual Port Fibre Channel HBA 4Gb Optical (Type 1) [N8403-018]	558	☐
N8403-020-O	Quad Port Gigabit Ethernet (Type 2, 4x 10/100/1000, PCIe-X8, AOL/WOL) [N8403-020]	208	☐
N8403-021-O	Dual Port Gigabit Ethernet (Type 1, 2x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-021]	130	☐
N8403-022-O	Quad Port Gigabit Ethernet (4x 10/100/1000, PCIe-X4, AOL/WOL, iSCSI) [N8403-022]	208	☐
N8403-034-O	Dual Port Fibre Channel HBA 8Gb Optical (Type 1) [N8403-034]	558	☐
N8403-035-O	Dual Port 10Gb Ethernet (Type 1, 2x 10GbE, PCIe-X4, AOL/WOL) [N8403-035]	273	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

SIGMABLADE-M

Packs up to 8 CPU Blades in 6U height chassis, ideal for medium architecture

Supports up to 8 CPU Blades and 6 switch modules. SIGMABLADE monitor provided as standard. Redundant EM Cards, power units, cooling fans. Each Blade, Switch Module, Power Unit, EM Card, fan are hot-swap. DVD-ROM and Local KVM switch provided as standard. Power redundancy supported;AC 100V support.

NEC Reference	Description	Price €	IC*
Chassis			
N8405-016BF-I	NEC SigmaBlade-M Enclosure (Rack-6U, No PSU, No fan, No EM card) [N8405-016BF]	2 727	☑
EM			
N8405-019A-O	Blade EM card for SigmaBlade-M [N8405-019A]	273	☐
Fan Add-on			
N8405-053-O	Fan Redundant, 0 as standard, up to 5 as option, *for N8405-016AF only, RoHS	123	☐
FC Add-on			
N8405-032-O	Slot Blank Kit for N8405-016BF	32	☐
N8405-033-O	Front Bezel for N8405-016BF	234	☐
N8406-015-O	SFP : FC4Gb PassThrough [N8406-015]	49	☐
N8406-021-O	4Gb Fibre Channel Fibre Channel Pass-through for NEC SigmaBlade-M (16 ports)	844	☐
FC Add-on			
N8406-040-O	8G FC Switch(12port) [N8406-040]	4 675	☐
N8406-041-O	FC SFP module [N8406-041]	169	☐
NF9330-SF02-O	SFP : FC4Gb Fcswitch [NF9330-SF02]	49	☐
Network Add-on			
N8406-011-O	1Gb Pass-Through Card, up to 3	623	☐
N8406-013-O	1Gb Interlink Expansion Card, up 1	273	☐
Network Add-on			
N8406-023A-O	1Gb Intelligent L3 Switch (16 downlink , 5 uplink/4 optional 1000SX fiber ports, 2 crossconnect) [N8406-023A]	1 208	☐
N8406-024-O	1Gb Base-SX SFP module[N8406-024]	143	☐
N8406-026-O	10Gb Intelligent L3 Switch[N8406-026]	5 844	☐
N8406-027-O	10Gb BASE-SR XFP module[N8406-027]	714	☐
N8406-035-O	10Gb Pass-Through Card, up to 6,	2 078	☐
N8406-037-O	10GBASE-SR SFP+ module [N8406-037]	455	☐
N8406-039-O	1000Base-T SFP module [N8406-039]	143	☐
N8406-044-O	1:10Gb Intelligent L3 Switch [N8406-044]	3 052	☐
PSU			
N8405-017F-O	PSU Redundant, *for N8405-016AF only, 1500W, RoHS	701	☐
N8405-023AF-O	PSU Redundant, *for N8405-016AF only, 2250W, RoHS x2	1 455	☐
N8405-055F-O	PSU Redundant, *for N8405-016BF only, 2250W 80+, RoHS x1	584	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 yrs BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 yrs BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

SIGMABLADE-H v2

Packs up to 16 CPU Blades in 10U-height chassis, ideal for large architecture

Supports up to 16 CPU Blades and eight switch modules. SIGMABLADE monitor provided as standard. Redundant EM Cards, power units, and cooling fans. Each Blade, Switch Module, Power Unit, Enclosure Manager Card (EM Card), fan are hot-swap. DVD-ROM and Local KVM switch provided as standard. Power redundancy supported. AC100V support.

NEC Reference	Description	Price €	IC*
Chassis			
N8405-040AF-I	NEC SigmaBlade-H v2 Enclosure (Rack-10U, No PSU, No fan, No EM card) [N8405-040AF]	5 195	☑
EM			
N8405-043-O	Blade EM card for SigmaBlade-H [N8405-043]	273	☐
Fan			
N8405-045-O	Hot-Swap Fan unit for SigmaBlade-H v2 [N8405-045]	123	☐
FC Add-on			
N8406-015-O	SFP : FC4Gb PassThrough [N8406-015]	49	☐
N8406-030-O	2/4Gb FC Pass-Through Card [N8406-030]	844	☐
N8406-040-O	8G FC Switch(12port) [N8406-040]	4 675	☐
N8406-041-O	FC SFP module [N8406-041]	169	☐
N8406-042-O	8G FC Switch(24port) [N8406-042]	6 753	☐
NF9330-SF02-O	SFP : FC4Gb Fcswitch [NF9330-SF02]	49	☐
Network Add-on			
N8406-023A-O	1Gb Intelligent L3 Switch (16 downlink , 5 uplink/4 optional 1000SX fiber ports, 2 crossconnect) [N8406-023A]	1 208	☐
N8406-024-O	1Gb Base-SX SFP module[N8406-024]	143	☐
N8406-026-O	10Gb Intelligent L3 Switch[N8406-026]	5 844	☐
N8406-027-O	10Gb BASE-SR XFP module[N8406-027]	714	☐
N8406-029-O	1Gb Pass-Through Card[N8406-029]	623	☐
N8406-036-O	10Gb Pass-Through Card [N8406-036]	2 688	☐
N8406-037-O	10GBASE-SR SFP+ module [N8406-037]	455	☐
N8406-039-O	1000Base-T SFP module [N8406-039]	143	☐
N8406-044-O	1:10Gb Intelligent L3 Switch [N8406-044]	3 052	☐
Other Add-on			
K410-84-05-O	Cross Cable (5m) [K410-84-05]	19	☐
N8405-046-O	Cover for server blade empty slot for SigmaBlade-H v2 [N8405-046]	32	☐
N8405-051-O	Front Bezel for SigmaBlade-H v2 [N8405-051]	377	☐
PSU			
N8405-044F-O	2250w Hot-Swap Power Supply for SigmaBlade-H v2 (1unit) [N8405-044F]	610	☐
Warranty Extension			
RWYG3SJ060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG3SJ760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	600	☐
RWYG3SJ781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT BL)	500	☐
RWYG5SJ060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 000	☐
RWYG5SJ760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 200	☐
RWYG5SJ781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT BL)	1 500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Continuous availability for 99.999% system uptime - Affordable fault tolerance using Intel Xeon based technology - Hardware redundancy of all components

NEC Reference	Description	Price €	IC*
Express5800/R320a-E4 single processor for Linux			
F02-00002064-NL	1 * NEC Server Express5800/R320a-E4 Rack (4U) Model 1 for Linux : Single Xeon Quad Core E5504-2.0GHz 4MB 4,8Ghz QPI, DVD RW, No RAM, no HDD 4 * 2GB (1x 2GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory item to order : N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	16 630	☐
Express5800/R320a-E4 single processor for VMware			
	F02-00002065-NV : 1 * NEC Server Express5800/R320a-E4 Rack (4U) Model 1 for VMWare : Single Xeon Quad Core E5504-2.0GHz 4MB 4,8Ghz QPI , DVD RW, No RAM, no HDD 4 * 2GB (1x 2GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory items to order : UL1650-001 : ftSys for VMware vSphere for R320a (price included) ULH1S-1650-001 : 1 year support of ftSys for VMware vSphere for R320a (price included) N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	21 550	☑
Express5800/R320a-E4 single processor with Win Server 2008 R2 EE (with Hyper-V) or SP2 32bit (without Hyper-V)			
F02-N4B-0008-NW	1 * NEC Server Express5800/R320a-E4 Rack (4U) Model 1 for Windows2008R2-64b : Single Xeon Quad Core E5504-2.0GHz 4MB 4,8Ghz QPI , DVD RW, No RAM, no HDD□4 * 2GB (1x 2GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Windows Server 2008 R2 64bit, Enterprise Edition (25 CALs, US+FIGS languages, with Hyper-V) for Fault Tolerant 1 * Microsoft® Windows Server 2008 SP2 Enterprise Edition 32-bit (without Hyper-V) Downgrade Policy (US+FIGS languages) 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory item to order : N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	18 350	☐
Express5800/R320b-M4 dual processor for Linux			
F03-00000482-L	1 * NEC Server Express5800/R320b-M4 Rack (4U) Model 1 for Linux : Single Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI, DVD RW, No RAM, no HDD 1 * Processor Kit Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI (2 Units) 2 * 12GB (3x 4GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory item to order : N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	27 150	☐
Express5800/R320b-M4 dual processor for VMware			
	F03-00000483-V : 1 * NEC Server Express5800/R320b-M4 Rack (4U) Model 1 for VMWare : Single Xeon Quad Core X5670-2.93GHz 12MB 6,4Ghz QPI , DVD RW, No RAM, no HDD 1 * Processor Kit Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI (2 Units) 2 * 12GB (3x 4GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory items to order : UL1650-001 : ftSys for VMware vSphere for R320a (price included) ULH1S-1650-001 : 1 year support of ftSys for VMware vSphere for R320a (price included) N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	32 070	☑

NEC Reference	Description	Price €	IC*
Express5800/R320b-M4 dual processor with Win Server 2008 R2 EE (with Hyper-V)			
F03-N4B-0009-W	1 * NEC Server Express5800/R320b-M4 Rack (4U) Model 1 for Windows2008R2-64b : Single Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI , DVD RW, No RAM, no HDD 1 * Processor Kit Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI (2 Units) 2 * 12GB (3x 4GB) DDR3-1333 RDIMM Memory kit (2 Kits) 2 * 146GB 15K SAS Hard Disk Drive (1x Units) 2 * 300GB 10K SAS Hard Disk Drive (1x Units) 1 * Windows Server 2008 R2 64bit, Enterprise Edition (25 CALs, US+FIGS languages, with Hyper-V) for Fault Tolerant 1 * Ultracare Service BASIC 1 Years - Onsite NBD intervention or CRU exchange (EC-CAT6) Mandatory item to order : N8160-81-O : 3.5' 1.44MB External Floppy Disk Drive (price not included)	28 870	☐
Base Unit			
N8800-162F-I	NEC Express5800/R320a-E4 Rack (4U) Model 1 for Linux : Single Xeon Quad Core E5504	15 230	☑
N8800-163F-I	NEC Express5800/R320b-M4 Rack (4U) Model 1 for Linux : Single Xeon Hexa Core X5670	19 830	☑
N8800-164F-I	NEC Express5800/R320a-E4 Rack (4U) Model 1 for VMWare4U2 : Single Xeon Quad Core E5504	20 150	☑
N8800-165F-I	NEC Express5800/R320b-M4 Rack (4U) Model 1 for VMWare4U2 : Single Xeon Hexa Core X5670	24 750	☑
N8800-155E-I	NEC Express5800/R320a-E4 Rack (4U) Model 1 for Windows2008R2-64b : Single Xeon Quad Core E5504	15 710	☑
N8800-154E-I	NEC Express5800/R320b-M4 Rack (4U) Model 1 for Windows2008R2-64b : Single Xeon Hexa Core X5670	20 310	☑
Chassis Accessories Add-on			
N8843-003-4-O	Tower conversion kit [N8843-003]	1 220	☐
Controller for external SAN Add-on			
N8803-035-O	4Gb Fibre Channel Controller, (PCIex X8 Full Height , Emulex LPe1150) (set of 2)	2 140	☐
N8803-038-O	8Gb Fibre Channel Controller, (PCIex X8 Full Height , Qlogic QLE2560-SP) (set of 2)	2 830	☐
NUT-P30W-00-00	NEC Storage PathManager Software Version 4.X for Windows (English)	1 070	☐
External floppy drive Add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard Disc Drive Add-on			
N8850-038-O	146GB 10K SAS Hard Disk Drive 2.5 (1x Unit)	150	☐
N8850-039-O	300GB 10K SAS Hard Disk Drive 2.5 (1x Unit)	200	☐
N8850-041-O	146GB 15K SAS Hard Disk Drive 2.5 (1x Unit)	230	☐
N8850-042-O	146GB 10K SAS Hard Disk Drive 2.5 (1x Unit)	150	☐
N8850-043-O	300GB 10K SAS Hard Disk Drive 2.5 (1x Unit)	200	☐
N8850-044-O	600GB 10K SAS Hard Disk Drive 2.5 (1x Unit)	340	☐
N8850-046-O	146GB 15K SAS Hard Disk Drive 2.5 (1x Unit)	230	☐
HBA controller for external storage Add-on			
N8803-036-O	SCSI U320 1-Channel Controller PCI-e LP (one board)	230	☐
N8803-037-O	SAS 1channel PCI-e HBA controller (one board)	240	☐
Keyboard Add-on			
AIP-0012-UU-UB	Keyboard + Mouse (USB1.1)	30	☐
Memory Add-on			
N8802-041-O	2GB (2x 1GB) DDR3-1066 RDIMM Memory kit (2 Units)	140	☐
N8802-042-O	12GB (3x 4GB) DDR3-1066 RDIMM Memory kit (2 Kits)	750	☐
N8802-043-O	24GB (3x 8GB) DDR3-1066 RDIMM Memory kit (2 Kits)	1 350	☐
N8802-044-O	2GB (1x 2GB) DDR3-1333 RDIMM Memory kit (2 Kits)	140	☐
N8802-045-O	12GB (3x 4GB) DDR3-1333 RDIMM Memory kit (2 Kits)	750	☐
N8802-046-O	24GB (3x 8GB) DDR3-1333 RDIMM Memory kit (2 Kits)	1 350	☐
N8802-047-O	2GB (1x 2GB) DDR3-1333 RDIMM Memory kit (2 Kits)	140	☐
N8802-048-O	12GB (3x 4GB) DDR3-1333 RDIMM Memory kit (2 Kits)	750	☐
N8802-049-O	24GB (3x 8GB) DDR3-1333 RDIMM Memory kit (2 Kits)	1 350	☐
Natio Pack			
CBLIEC320X99901	IEC320 Power Cable kit (2 cables)	13	☐

NEC Reference	Description	Price €	IC*
Network adapters Add-on			
N8804-007-O	Intel PRO/1000 MT Dual Port Gigabit Copper NIC (2x 10/100/1000, 2x RJ45, , PCI 64-bit) (Set of 2)	470	☐
N8804-009-O	Intel PRO/1000 MT Dual Port Gigabit Copper NIC (2x 10/100/1000, 2x RJ45, , PCI 64-bit) (Set of 2)	390	☐
Processor Add-on			
N8801-041-O	Processor Kit Xeon Quad Core E5504-2.0GHz 4MB 4,8Ghz QPI (2 Units) For Low-End model	900	☐
N8801-042-O	Processor Kit Xeon Quad Core X5570-2.93GHz 4MB 6,4Ghz QPI (2 Units) For Mid-Level model	4 980	☐
N8801-043-O	Processor Kit Xeon Hexa-Core X5670-2.93GHz 12MB 6,4Ghz QPI (2 Units) For Mid-Level model	4 980	☐
Operating System			
MEDNW08E6400011	Windows Server 2008 R2 64bit, Enterprise Edition (25 CALs, US+FIGS languages, with Hyper-V) for Fault Tolerant	1 240	☑
MEDNW08E6400106	Windows Server 2008 64bit, Enterprise Edition (25 CALs, English, without Hyper-V) for Fault Tolerant	2 440	☑
MEDNW08E6400206	Windows Server 2008 64bit, Enterprise Edition (25 CALs, French, without Hyper-V) for Fault Tolerant	2 440	☑
MEDNW08E6400306	Windows Server 2008 64bit, Enterprise Edition (25 CALs, German, without Hyper-V) for Fault Tolerant	2 440	☑
MEDNW08E6400406	Windows Server 2008 64bit, Enterprise Edition (25 CALs, Spanish, without Hyper-V) for Fault Tolerant	2 440	☑
MEDNW08E6400606	Windows Server 2008 64bit, Enterprise Edition (25 CALs, Italian, without Hyper-V) for Fault Tolerant	2 440	☑
Installation Service Add-on			
NPYFTOINPR01	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - UK)	2 010	☐
NPYFTOINPR02	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - FR / BE / LU / CH)	2 010	☐
NPYFTOINPR03	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - Germany)	2 010	☐
NPYFTOINPR04	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - Spain)	2 010	☐
NPYFTOINPR05	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - The Netherlands / Belgium)	2 010	☐
NPYFTOINPR06	NEC Ultracare FT BASIC Installation Service (maximum 1 Day in Customer site - Italy)	2 010	☐
NPYFTOINAD01	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - UK)	3 820	☐
NPYFTOINAD02	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - FR / BE / LU / CH)	3 820	☐
NPYFTOINAD03	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - Germany)	3 820	☐
NPYFTOINAD04	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - Spain)	3 820	☐
NPYFTOINAD05	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - The Netherlands / Belgium)	3 820	☐
NPYFTOINAD06	NEC Ultracare FT ADVANTAGE Installation Service (between 1 & 2 Days in Customer site - Italy)	3 820	☐
NPYFTOLS1Y02A	NEC FT CRU Labor Service Installation Package 1 year - < 10 FT - France	1 000	☑
NPYFTOLS3Y02A	NEC FT CRU Labor Service Installation Package 3 years - < 10 FT - France	3 000	☑
NPYFTOINAU01	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - UK)	2 260	☐
NPYFTOINAU02	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - FR / BE / LU / CH)	2 260	☐
NPYFTOINAU03	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - Germany)	2 260	☐
NPYFTOINAU04	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - Spain)	2 260	☐
NPYFTOINAU05	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - The Nedherlands / belgium)	2 260	☐
NPYFTOINAU06	NEC Ultracare FT Active Upgrade Instalation Service (maximum 1 day in customer site - Italy)	2 260	☐
Training Service Add-on			
NPYFTOTR010	NEC Ultracare FT BASIC Training Service (2 days in NEC FT Technical Center) - FT + Windows Only	1 400	☐
NPYFTOTR110	NEC Ultracare FT ADVANTAGE Training Service (3 days in NEC FT Technical Center) - FT + Windows & Linux / Vmware	2 100	☐
Warranty Extension Add-on			
NWYG1SM01CA	NEC Ultracare FT Service ADVANTAGE 1 YEAR	2 810	☐
NWYG3SM01CA	NEC Ultracare FT Service ADVANTAGE 3 YEARS	8 440	☐
NWYG5SM01CA	NEC Ultracare FT Service ADVANTAGE 5 YEARS	14 060	☐
NWYG1SM71CA	NEC Ultracare FT Service PREMIUM 1 YEAR	4 220	☐
NWYG3SM71CA	NEC Ultracare FT Service PREMIUM 3 YEARS	12 660	☐
NWYG5SM71CA	NEC Ultracare FT Service PREMIUM 5 YEARS	21 090	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Express5800/e120b-1 is has been designed for Data centers who need to support Website on a variety of linux version and want to save time and power consumption.The power bay can support uptill 8 servers with redundancy N+1 with only 4 power supplies (Gold 80+)

NEC Reference	Description	Price €	IC*
Barebone			
N8100-1627F-I	Model E120b-1 with one Xeon(R) L5630 (2.13GHz/12MB L3 Cache), MEM less, DC PSU (Powered by Power Bay Option)	1 558	☑
Additional Power add-on			
N8181-76F-O	Hot swap and Redundant 650w 80+ gold power supply	169	☐
Battery Backup Unit for RAID controller Add-on			
N8103-124-O	Battery Backup Unit for LSI MegaRAID SAS8708EM2 and 9264-8i controllers	117	☐
N8103-136-O	BBU + cable 950mm for Promise	130	☐
Controller card for back device add-on			
N8103-104A-O	LSI SAS3442E-R Host Bus Adaptor (PCIe-8x, 3Gb SAS, 4x external channels, SFF-8470 SAS external connector)	195	☐
N8103-107-O	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
Controller for external SAN add-on			
N8190-153-O	Emulex LPe1250 F8 8Gb/s (PCIe 2.0 (x8))	974	☐
N8190-154-O	Emulex LPe12002-M8 8Gb/s 2ch (PCIe 2.0 (x8))	1 299	☐
External Floppy Drive add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard disk drive add-on			
N8150-300-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 146.5GB	169	☐
N8150-301-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 300GB	234	☐
N8150-303-O	HDD SAS 2.5" HotSwap 15K (6Gbps) 146.5GB	208	☐
N8150-304-O	HDD SAS 2.5" HotSwap 10K (6Gbps) 600GB	468	☐
Keyboard Add-on			
KBD-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
KBD-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-03-01	USB MOUSE AND KEYBOARD GER	21	☐
KBD-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
KBD-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
KBD-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Management software add on			
N8115-03-O	NEC Remote KVM and Media License Key	12	☐
Memory add-on			
N8102-411-O	1x 8GB Memory Module, DDR3-1333, 1.35V/1.5V, Registered	195	☐
N8102-414-O	1x 4GB Memory Module, DDR3-1333, 1.35V/1.5V, Unbuffered	78	☐
Network adapters add-on			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
N8104-125A-O	Intel PRO/1000 PT quad Port (4x RJ45, PCIe X4) dual bracket FH/LP	351	☐
N8104-128-O	Broadcom 10GBASE Adapter (SFP+/2ch)(PCIe2 X8)	455	☐
Optical devices add-on			
N8160-85-O	External DVD rom	104	☐
Power distribution Add-on			
K410-213(1A)-O	DC cable (Y Type) - connect up to 2 Platforms to the PowerBay	130	☑
N8142-36F-O	PowerBay 1U power Distribution Unit (Supporting up to 4 HS PSU)	1 558	☑
Processor add on			
N8101-477-O	Intel® Xeon® Processor L5630 (Quad Core, 2.13GHz, 12MB, 5,86GT/s)	688	☐

NEC Reference	Description	Price €	IC*
Processor add on			
RAID controller for external storage Add-on			
N8103-135-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Ext. X8	312	☐
RAID controller for internal HDD Add-on			
N8103-129-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1, 256MB, BBU less, Int. X8	221	☐
N8103-130-O	LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, BBU less, Int. X8	247	☐
N8103-134-O	Promise YellowStone, RAID0/1/5/6, 512MB, BBU less, Int. X8	312	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99903	Multilingual Microsoft® Windows® Server 2008 R2 Entreprise 64bits - ROK	2 208	☐
Warranty Extension Add-on			
RWYG3SD060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG3SD760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	740	☐
RWYG3SD781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT2)	597	☐
RWYG5SD060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 195	☐
RWYG5SD760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT2)	1 429	☐
RWYG5SD781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	2 403	☐
RWYG5SD781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT2)	2 403	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

ECO CENTER enables energy savings through optimized power efficiency

NEC's ECO CENTER leverages specially designed rack mounted hardware that combines advances in power efficiency, virtualization technology, and platform management capabilities to optimize power consumption.

NEC Reference	Description	Price €	IC*
Adapters			
NE2000-001	4Gbps FC SCSI (2 port)	1 150	☑
NE2000-002	8Gbps FC SCSI (2 port)	1 100	☑
NE2300-001	1000Base-T (2port)	240	☑
NE2300-002	1000Base-T (4 port)	500	☑
NE2300-003	10G BASE (2port)	550	☑
NE2300-004	10G BASE SR optical module	180	☑
Barebone			
NE1200-001H	Express5800/E120b-M 2 servers model (AC power supply)	2 500	☑
NE1200-002H	Express5800/E120b-M 1server model (AC power supply)	1 700	☑
NE1200-003H	Express5800/E120b-M 2servers model (DC-48V power supply)	2 500	☑
CPU			
NE1201-001	Additional CPU（6C/L5640） ▪	1 400	☑
NE1201-002	Additional CPU（4C/L5630） ▪	800	☑
Internal Hard disk drive			
NE1003-001	HDD (160GB, 5400rpm, 2.5" SATA)	500	☑
NE1103-003	SSD(50GB , 2.5"SATA)	900	☑
Memory			
NE1202-001	Additional Memory （4GB,1.35V-1.5V WideRange）	160	☑
NE1202-002	Additional Memory （8GB,1.35V-1.5V WideRange）	310	☑
Rack accessory			
NE1004-003	Stabilizer (Right&Left)	150	☑
NE1004-004	Stabilizer (Front&Back)	150	☑
NE1104-001	Server Module Enclosure	500	☑
NE1104-002	Filler Panel (for Server Module Enclosures)	30	☑
NE1106-001H	ECO CENTER Cabinet	3 500	☑
NE1106-002	Rack Mount Kit for ECO CENTER Cabinet	200	☑
NE1106-003	Rack Mount Kit for Standard Cabinet	200	☑
NE1106-004	Attachment	40	☑
NQ2207-152	Filler Panel (for Cabinet)	10	☑
service Add-on			
NESV11-001	Server Module Installation Service	35	☑
NESV11-002	Server Module Enclosure Installation Service	70	☑

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

The compact form factor includes redundant power supply, fans and hot-swap drives.

NEC Reference	Description	Price €	IC*
DAS Storage ST1240 with 4x1TB			
S09-N4B-0007	S09-00000147 : 1 * NEC Storage ST1240 Direct Attached Storage (Up to 12x SAS/SATA HotSwap HDD, 2 HS PSU, 6Gb SAS host interface) 4 * 1TB HDD SATA 3GB 3.5 7200 DEU 1 * External SAS Cable (2m) Mandatory item to order : DOC-WSTD-XX-001 : Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (price included)	2 991	☑
Base			
N8141-42F-NECJ	ST1230	1 850	☑
N8141-51F-I	ST1240	1 950	☑
Connectivity			
K410-191(02)-I	External SAS Cable (2m)	100	☑
K410-191(02)-O	External SAS Cable (2m)	100	☐
ST1230 Hard disk drive			
N8150-264-NECJ	300GB HDD SAS 3.5 15K	320	☐
N8150-265-NECJ	450GB HDD SAS 3.5 15K	380	☐
N8190-150-NECJ	1TB HDD SATA 3GB 3.5 7200	235	☐
ST1240 Hard disk drive			
N8150-324-O	300GB HDD SAS 6GB 3.5 15K DEU	320	☐
N8150-325-O	450GB HDD SAS 6GB 3.5 15K DEU	380	☐
N8150-326-O	600GB HDD SAS 6GB 3.5 15K DEU	480	☐
N8150-327-O	1TB HDD SATA 3GB 3.5 7200 DEU	235	☐
N8150-328-O	2TB HDD SATA 3GB 3.5 7200 DEU	380	☐
Warranty Extension			
RWYG3SF060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	766	☐
RWYG3SF760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 065	☐
RWYG3SF781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 623	☐
RWYG5SF010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT3)	779	☐
RWYG5SF060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 883	☐
RWYG5SF760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	2 494	☐
RWYG5SF781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	3 338	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

Dependability : fully redundant, self-healing, catches silent data corruption - Efficiency : Power off RAID group, Thin provisionning, Browser-based GUI - Scalability : 438GB to 3PB, modular expansion, non-disruptive, dynamic pool

NEC Reference	Description	Price €	IC*
D3-10 solution : 4Gb FC SAN storage			
S01-N4B-0004-S1	1 * NEC Storage D3-10 Fibre Channel base unit (Up to 12x SAS/SATA HotSwap HDD 3GB/s) 6 * 1TB 7200rpm SATA2 HotSwap HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT4) Mandatory item to order = BaseProduct . Example : V-UFSD0T310002 : BaseProduct - D3-10 Lite Ver6.3 - Up to 4 AccessControl Connections (price not included)	4 055	☐
D3-10i solution : 1Gb iSCSI SAN storage			
S01-N4B-0002-SI	1 * NEC Storage D3-10i iSCSI base unit Single conctroller 2x1Gbit LAN (Up to 12x SAS/SATA 3GB/s) 6 * 1TB 7200rpm SATA2 HotSwap HDD 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT3) Mandatory item to order = BaseProduct . Example : V-UFSD0T31S001 : BaseProduct - D3-10i Entry Ver6.3 - Up to 2 AccessControl Connections (price not included)	3 225	☐
D4-30 solution : 8Gb FC SAN storage			
S07-N4B-0005-S	1 * NEC Storage D4-30 Fibre Chanel base unit (4 host ports 8GbFC, 2PSU, 4Gbyte cache, 4 DE ports, Up to 12x SAS/SATA HotSwap HDD 6GB/s) 6 * SAS Disk drive 450GB 15krpm 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT4) Mandatory item to order = BaseProduct . Example : V-UFSD0T430002 : BaseProduct - D4-30 Lite Ver6.3 - Up to 4 AccessControl Connections (price not included)	8 230	☐
D4-30i solution : 10Gb iSCSI SAN storage			
S07-N4B-0006-SI	1 * NEC Storage D4-30 iSCSI base unit (4 host ports 10GbE, 2PSU, 8Gbyte cache, 4 DE ports, Up to 12x SAS/SATA HotSwap HDD 6GB/s) 6 * SAS Disk drive 450GB 15krpm 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT4) Mandatory item to order = BaseProduct . Example : V-UFSD0T43S002 : BaseProduct - D4-30i Lite Ver6.3 - Up to 4 AccessControl Connections (price not included)	9 060	☐
D3-10 base			
BASND3-10X99901	NEC Storage D3-10 - 4Gbps FC Storage Subsystem - 2x Storage Controllers, 4GB Cache, 4x Host Ports, 2x HS PSUs + Redundant Fans	2 645	☑
D3-10i base			
NF5131-SR50SE-I	NEC Storage D3-10i - 1Gbp iSCSI Storage Subsystem - 1x Storage Controller, 2GB Cache, 2x Host Ports, 2x HS PSUs + Redundant Fans	1 815	☑
D4-30 base			
NF5133-SR40E-I	D4-30 Fibre Chanel base unit (4 host ports, 2PSU, 4Gbyte cache, 4 DE ports)	5 950	☑
D4-30i base			
NF5133-CR50C-I	NEC Storage D4-30 iSCSI base unit (Up to 12x SAS/SATA HotSwap HDD 6GB/s)	6 780	☑
D3-10 options			
AEX-D12P-00-00	NEC Storage D3-10 Host Port Extender - Additional 4x FC Host Ports per Storage Controller (Set of 2, 4 Host Port to 12 Host Port Upgrade)	1 820	☐
MCHD31012P99903	NEC Storage D3-10 Host Port Extender - Additional 4x FC Host Ports per Storage Controller (Set of 2, 4 Host Port to 12 Host Port Upgrade)	1 820	☑
NF5131-SP14E-O	NEC Storage D3-10i additional controller	1 280	☐
D4-30 options			
NF5023-SC01E-O	NEC Storage D4-30 4Gbyte cache memory extension	330	☐
NF5023-SF01E-O	NEC Storage D4-30 Host Port Extender - Additional 4x FC Host Ports per Storage Controller (Set of 2, 4 Host Port to 8 Host Port Upgrade)	1 230	☐
NF5131-SZ023E-O	External 1U Battery Backup Unit for D4-30 (for 2 Power Supplies, up to 120hrs for 4Gbyte cahce, up to 72hrs for 8Gbyte cache)	1 850	☐
D4-30i options			
NF5023-SF11E-I	Option Host Port(10 Gb iSCSI 0Ports ->4Ports)	2 170	☑
DEU Dx-10			
BASNDX-DEU99901	NEC Storage D-Series DEU for Dx-10 - 2x 1m SAS Data Cables, 2x Power Supplies + Redundant Fans, 2U-EIA Rack Chassis	2 400	☐

NEC Reference	Description	Price €	IC*
DEU Dx-30			
NF5023-SE70E-I	NEC Storage D-Series DEU for Dx-30 - SAS/SATA DISK ENCLOSURE 12 HDD 6Gb/s backplane	2 070	☐
DEU Dx-x0			
ACN-0245-20-00	D-Series DEU Connection Cables (2x 5m SAS Data Cables)	560	☐
Dx-10 options			
APM-1072-00-00	External 1U Battery Backup Unit for Dx-10 (for 2 Power Supplies, up to 120hrs for D1-10, up to 72hrs for D3-10)	1 430	☐
FC Cable			
ACN-0302-02-00	Fiber Optic MultiMode Cable (LC-LC, 2m)	50	☐
ACN-0305-02-00	Fiber Optic MultiMode Cable (LC-LC, 5m)	50	☐
ACN-0315-02-00	Fiber Optic MultiMode Cable (LC-LC, 15m)	70	☐
Hard Disk Drive			
HDD146GSAS99908	SAS DISK DRIVE 146GB 6GBPS 15K-RPM - 3"5	240	☐
HDD-1T72-T3-06	SATA2 DISK DRIVE 1TB 7200-RPM - 3"5	235	☐
NF5021-SM806E	SATA2 DISK DRIVE 1TB 7200-RPM - 3"5	235	☐
NF5023-SM706E-O	SAS NL DISK DRIVE 1TB 7200-RPM - 3"5	290	☐
NF5023-SM708E-O	SAS NL DISK DRIVE 2TB 7200-RPM - 3"5	440	☐
NF5023-SM725E-O	SAS DISK DRIVE 300GB 6GBPS 15K-RPM - 3"5	320	☐
NF5023-SM727E-O	SAS DISK DRIVE 450GB 6GBPS 15K-RPM - 3"5	380	☐
NF5023-SM728E-O	SAS DISK DRIVE 600GB 6GBPS 15K-RPM - 3"5	480	☐
NF5023-SM808E-O	SATA2 DISK DRIVE 2TB 7200-RPM - 3"5	380	☐
NF5023-SS6E3E-O	SAS SSD DISK DRIVE 73GB - 3"5	4 850	☐
NF5023-SS6E6E-O	SAS SSD DISK DRIVE 400GB - 3"5	9 990	☐
D3-10 Software options			
V-UFSD00310012	BaseProduct - D3-10 (Entry->Lite Upgrade)	210	☐
V-UFSD00310023	BaseProduct - D3-10 (Lite->Standard Upgrade)	1 760	☐
V-UFSD00310034	BaseProduct - D3-10 (Standard->Enterprise Upgrade)	1 190	☐
V-UFSD0T310001	BaseProduct - D3-10 Entry Ver6.3	830	☐
V-UFSD0T310002	BaseProduct - D3-10 Lite Ver6.3	1 040	☐
V-UFSD0T310003	BaseProduct - D3-10 Standard Ver6.3	2 800	☐
V-UFSD0T310004	BaseProduct - D3-10 Enterprise Ver6.3	3 990	☐
V-UFSD123000	PerformanceMonitor - D3 series	1 370	☐
V-UFSD133000	ReallocationControl - D3-10	1 160	☐
V-UFSD15300C	PerformanceNavigator Ver6.3 - D3series	1 160	☐
V-UFSD51310002	StoragePowerConserver - D3-10	2 270	☐
V-UFSD54310002	Performance Optimizer - D3-10	2 270	☐
V-UFSD5B310002	DynamicDataReplication - D3-10	3 700	☐
V-UFSD5C310002	RemoteDataReplication - D3-10	5 550	☐
V-UFSD5C3100U2	RemoteDataReplication - D3-10 (Async -> RDR upgrade)	2 750	☐
V-UFSD5E310001	VolumeProtect - D3-10	2 750	☐
V-UFSD5G310002	RemoteDataReplication Asynchronous - D3-10	2 800	☐
V-UFSDS2310N	Replication Navigator Suite for SQL Ver6.2 - D3-10	9 240	☐
V-UFSDS3310N	Replication Navigator Suite for Exchange Ver6.2 - D3-10	9 240	☐
V-UFSDS4310N	Replication Navigator Suite for FileSystem Ver6.2 - D3-10	6 870	☐
D3-10i Software options			
V-UFSD0031S012	BaseProduct - D3-10i (Entry->Lite Upgrade)	210	☐
V-UFSD0031S023	BaseProduct - D3-10i (Lite->Standard Upgrade)	1 760	☐
V-UFSD0031S034	BaseProduct - D3-10i (Standard->Enterprise Upgrade)	1 190	☐
V-UFSD0T31S001	BaseProduct - D3-10i Entry Ver6.3	830	☐
V-UFSD0T31S002	BaseProduct - D3-10i Lite Ver6.3	1 040	☐
V-UFSD0T31S003	BaseProduct - D3-10i Standard Ver6.3	2 800	☐

NEC Reference	Description	Price €	IC*
D3-10i Software options			
V-UFSD0T31S004	BaseProduct - D3-10i Enterprise Ver6.3	3 990	☐
V-UFSD1231S0	PerformanceMonitor - D3-10i	1 370	☐
V-UFSD1331S0	ReallocationControl - D3-10i	1 160	☐
V-UFSD1531SC	PerformanceNavigator Ver6.3 - D3-10i	1 160	☐
V-UFSD5131S002	StoragePowerConserver - D3-10i	2 750	☐
V-UFSD5431S002	Performance Optimizer - D3-10i	2 270	☐
V-UFSD5B31S002	DynamicDataReplication - D3-10i	3 700	☐
V-UFSD5E31S002	VolumeProtect - D3-10i	2 750	☐
V-UFSD6231SA	ReplicationControl SQL Option Ver6.2 - D3-10i	2 480	☐
V-UFSDS231SN	Replication Navigator Suite for SQL Ver6.2 - D3-10i	9 240	☐
V-UFSDS331SN	Replication Navigator Suite for Exchange Ver6.2 - D3-10i	9 240	☐
V-UFSDS431SN	Replication Navigator Suite for FileSystem Ver6.2 - D3-10i	6 870	☐
D4-30 Software options			
V-UFSD00430023	BaseProduct - D4-30 (Lite->Standard Upgrade)	6 060	☐
V-UFSD00430034	BaseProduct - D4-30 (Standard->Enterprise Upgrade)	4 090	☐
V-UFSD0T430002	BaseProduct - D4-30 Lite Ver6.3	3 520	☐
V-UFSD0T430003	BaseProduct - D4-30 Standard Ver6.3	9 580	☐
V-UFSD0T430004	BaseProduct - D4-30 Enterprise Ver6.3	13 670	☐
V-UFSD124000	PerformanceMonitor - D4 series	3 170	☐
V-UFSD134000	ReallocationControl - D4 series	2 270	☐
V-UFSD15400C	PerformanceNavigator Ver6.3- D4 series	2 750	☐
V-UFSD51430002	StoragePowerConserver - D4-30	3 700	☐
V-UFSD54430002	PerformanceOptimizer - D4-30	4 600	☐
V-UFSD58430002	ThinProvisioning - D4-30	3 700	☐
V-UFSD5B430002	DynamicDataReplication - D4-30	5 600	☐
V-UFSD5C430002	RemoteDataReplication - D4-30	8 400	☐
V-UFSD5C4300U2	RemoteDataReplication - D4-30 (Async -> RDR upgrade)	4 200	☐
V-UFSD5E430002	VolumeProtect - D4-30	3 700	☐
V-UFSD5G430002	RemoteDataReplication Asynchronous - D4-30	4 200	☐
V-UFSD62400A	ReplicationControl SQL Option Ver6.2- D4 series	3 750	☐
V-UFSDS2430N	Replication Navigator Suite for SQL Ver6.2 - D4 series	14 000	☐
V-UFSDS3430N	Replication Navigator Suite for Exchange Ver6.2 - D4 series	14 000	☐
V-UFSDS4430N	Replication Navigator Suite for FileSystem Ver6.2 - D4 series	11 620	☐
D4-30i Software options			
V-UFSD0043S023	BaseProduct - D4-30i (Lite->Standard Upgrade)	6 060	☐
V-UFSD0043S034	BaseProduct - D4-30i (Standard->Enterprise Upgrade)	4 090	☐
V-UFSD0T43S002	BaseProduct - D4-30i Lite Ver6.3	3 520	☐
V-UFSD0T43S003	BaseProduct - D4-30i Standard Ver6.3	9 580	☐
V-UFSD0T43S004	BaseProduct - D4-30i Enterprise Ver6.3	13 940	☐
V-UFSD1243S0	PerformanceMonitor - D4-30i	3 170	☐
V-UFSD1343S0	ReallocationControl - D4-30i	4 200	☐
V-UFSD1543SC	PerformanceNavigator Ver6.3- D4-30i	2 750	☐
V-UFSD243SN	Replication Navigator Suite for SQL Ver6.2 - D4-30i	14 000	☐
V-UFSD343SN	Replication Navigator Suite for Exchange Ver6.2 - D4-30i	14 000	☐
V-UFSD443SN	Replication Navigator Suite for FileSystem Ver6.2 - D4-30i	11 620	☐
V-UFSD5143S002	StoragePowerConserver - D4-30i	2 270	☐
V-UFSD5443S002	PerformanceOptimizer - D4-30i	630	☐
V-UFSD5843S002	ThinProvisioning - D4-30i	3 700	☐
V-UFSD5B43S002	DynamicDataReplication - D4-30i	5 600	☐
V-UFSD5E43S002	VolumeProtect - D4-30i	3 750	☐

NEC Reference	Description	Price €	IC*
D4-30i Software options			
V-UFSD6243SA	ReplicationControl SQL Option Ver6.2- D4-30i	8 400	☐
D8-30 Software options			
V-UFSD138100	ReallocationControl - D8 series 1 node model	5 550	☐
V-UFSD1381N1	ReallocationControl - D8 series (1 node addition)	1 270	☐
V-UFSD26810B	Integration Base - D8 series 1 node model	950	☐
V-UFSD2681N1	Integration Base - D8 series (1 node addition)	420	☐
V-UFSD51830102	StoragePowerConserver - D8-30	4 600	☐
V-UFSD518301N1	StoragePowerConserver - D8-30 1 node addition)	4 600	☐
V-UFSD54830102	PerformanceOptimizer -D8-30	6 870	☐
V-UFSD548301N1	PerformanceOptimizer - D8-30 (1 node addition)	2 320	☐
V-UFSD57830102	VirtualStoragePartitioning - D8-30	9 190	☐
V-UFSD578301N1	VirtualStoragePartitioning - D8-30 (1 node addition)	9 190	☐
V-UFSD58830102	ThinProvisioning - D8-30	5 280	☐
V-UFSD588301N1	ThinProvisioning - D8-30 (1 node addition)	5 280	☐
V-UFSD5C8301U2	RemoteDataReplication - D8-30 1node model (Async -> RDR upgrade)	4 650	☐
V-UFSD5E830102	VolumeProtect - D8-30	4 600	☐
V-UFSD5E8301N1	VolumeProtect - D8-30 (1 node addition)	4 600	☐
V-UFSD5F830102	RemoteDataReplication/DisasterRecovery - D8-30	4 650	☐
V-UFSD5F830102	RemoteDataReplication/DisasterRecovery - D8-30	4 650	☐
V-UFSD5F8301N1	RemoteDataReplication/DisasterRecovery - D8-30 1 node addition)	950	☐
V-UFSD5F8301N1	RemoteDataReplication/DisasterRecovery - D8-30 1 node addition)	950	☐
V-UFSD5G830102	RemoteDataReplication Asynchronous - D8-30	7 390	☐
V-UFSD5G8301N1	RemoteDataReplication Asynchronous - D8-30 1 node addition)	1 850	☐
V-UFSDS2831N	Replication Navigator Suite for SQL Ver6.2 - D8 series 1 node model	21 130	☐
V-UFSDS283A1N1	Replication Navigator Suite for SQL Ver6.2 - D8 series (1 node addition)	5 280	☐
V-UFSDS3831N	Replication Navigator Suite for Exchange Ver6.2 - D8 series 1 node model	21 130	☐
V-UFSDS383A1N1	Replication Navigator Suite for Exchange Ver6.2 - D8 series 1 node addition)	5 280	☐
V-UFSDS4831N	Replication Navigator Suite for FileSystem Ver6.2 - D8 series 1 node model	15 850	☐
V-UFSDS483A1N1	Replication Navigator Suite for FileSystem Ver6.2 - D8 series (1 node addition)	5 280	☐
Other NEC Storage Software options			
NUT-P044-00-00	NEC Storage PathManager Software Version 4.X for Windows (English)	750	☐
NUT-P045-00-00	NEC Storage PathManager Software Version 4.X for Linux (English)	750	☐
Warranty Extension Add-on : D3-10, D4-30, D4-30i			
RWYG3SH060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 247	☐
RWYG3SH760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 558	☐
RWYG3SH781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT4)	1 169	☐
RWYG5SH060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	3 247	☐
RWYG5SH781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	5 130	☐
Warranty Extension Add-on : D3-10i, DEU Dx-10, DEU Dx-30			
RWYG3SF060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	766	☐
RWYG3SF760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 065	☐
RWYG3SF781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 623	☐
RWYG5SF010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT3)	779	☐

NEC Reference	Description	Price €	IC*
Warranty Extension Add-on : D3-10i, DEU Dx-10, DEU Dx-30			
RWYG5SF060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 883	☐
RWYG5SF760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	2 494	☐
RWYG5SF781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	3 338	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

M-Series, next-generation SAN Storage systems that adresse today, the needs of tomorrow's IT environments.
Advanced ECO features, High performance & availability, Easy to install & operate, Extremely economical

NEC Reference	Description	Price €	IC*
M100 3"5 solution : 10Gb iSCSI SAN storage			
	S08-00000144-S3 : 1 * NEC Storage M100 3.5"(no controller, 2PSU, Up to 12x HotSwap HDD 6GB/s) with Software bundled (StorageManager Express / PathManager / DDR-Express / AccessControl / StoragePowerConserver / ThinProvisionning supported from Nov 2011) 1 * Front Bezel for NEC Storage M100 2 * Controller Card(10Gb iSCSI Fibre 2Ports, 4GB cache) [NF5321-SF21E] 3 * SAS Disk Drive(3.5", 15krpm/300GB, 6Gbps) [NF5321-SM725E] 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT4) 3* UFSVM00-H10000FRS : StorageManager Express : 1yr support + upgrade (for yr 1, 2, 3)	10 915	☑
M100 3"5 solution : 8Gb FC SAN storage			
	S08-00000068-S3 : 1 * NEC Storage M100 3.5"(no controller, 2PSU, Up to 12x HotSwap HDD 6GB/s) with Software bundled (StorageManager Express / PathManager / DDR-Express / AccessControl / StoragePowerConserver / ThinProvisionning supported from Nov 2011) 1 * Front Bezel for NEC Storage M100 2 * Controller Card(8Gb FC 4Ports, 4GB cache) [NF5321-SF02E] 3 * SAS Disk Drive(3.5", 15krpm/300GB, 6Gbps) [NF5321-SM725E] 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT4) 3* UFSVM00-H10000FRS : StorageManager Express : 1yr support + upgrade (for yr 1, 2, 3)	10 795	☑
M100 base			
NF5321-CB00C-I	NEC Storage M100 3.5" (no controller, 2PSU, Up to 12x HotSwap HDD 6GB/s) with Software bundled (StorageManager Express / PathManager / DDR-Express / AccessControl / StoragePowerConserver)	1 680	☑
NF5321-CB01C-I	NEC Storage M100 2.5" (no controller, 2PSU, Up to 24x HotSwap HDD 6GB/s) with Software bundled (StorageManager Express / PathManager / DDR-Express / AccessControl / StoragePowerConserver)	1 770	☑
M100 DEU			
NF5321-CE70C-I	NEC Storage Disk Enclosure for M100 3.5" (2PSU, Up to 12x SAS/NLSAS HotSwap HDD 6GB/s)	2 610	☑
NF5321-CE71C-I	NEC Storage Disk Enclosure for M100 2.5" (2PSU, Up to 24x SAS/NLSAS HotSwap HDD 6GB/s)	2 610	☑
Hard Disk Drive			
NF5321-SM706E-O	NLSAS Disk Drive(3.5", 7.2krpm/1TB, 6Gbps)	290	☐
NF5321-SM708E-O	NLSAS Disk Drive(3.5", 7.2krpm/2TB, 6Gbps)	440	☐
NF5321-SM725E-O	SAS Disk Drive(3.5", 15krpm/300GB, 6Gbps)	320	☐
NF5321-SM727E-O	SAS Disk Drive(3.5", 15krpm/450GB, 6Gbps)	380	☐
NF5321-SM728E-O	SAS Disk Drive(3.5", 15krpm/600GB, 6Gbps)	480	☐
NF5321-SM728SDE-	SAS Disk Drive(3.5", 15krpm/600GB, 6Gbps, encryption)	550	☐
NF5321-SM756E-O	NLSAS Disk Drive(2.5", 7.2krpm/1TB, 6Gbps)	460	☐
NF5321-SM765E-O	SAS Disk Drive(2.5", 10krpm/300GB, 6Gbps)	310	☐
NF5321-SM767E-O	SAS Disk Drive(2.5", 10krpm/450GB, 6Gbps)	420	☐
NF5321-SM768E-O	SAS Disk Drive(2.5", 10krpm/600GB, 6Gbps)	450	☐
NF5321-SM768SDE-	SAS Disk Drive(2.5", 10krpm/600GB, 6Gbps, encryption)	490	☐
NF5321-SS784E-O	SAS SSD Drive(2.5", 100GB, 6Gbps)	2 100	☐
NF5321-SS7E6E-O	SAS SSD Drive(3.5", 400GB, 6Gbps)	9 990	☐
M100 options			
NF5321-SF01E-O	Controller Card (8Gb FC 2Ports, 4GB cache)	3 050	☐
NF5321-SF02E-O	Controller Card (8Gb FC 4Ports, 4GB cache)	3 480	☐
NF5321-SF11E-O	Controller Card (1Gb iSCSI 2Ports, 4GB cache)	3 180	☐
NF5321-SF21E-O	Controller Card (10Gb iSCSI Fiber 2Ports, 4GB cache)	3 540	☐
NF9100-CZ25-I	Dummy HDD (3.5")	55	☑
NF9100-CZ29-I	Dummy HDD (2.5")	55	☑
NF9100-SF12E-I	Front Bezel	130	☑

NEC Reference	Description	Price €	IC*
M100 options			
NF9120-SJ54-O	M-Series DEU Connection Cables (2x 5m SAS Data Cables)	550	☐
M100 Software			
UFSM02-100100FR	StorageManager Suite	1 500	☐
UFSM12-100000FR	Performance Monitor	1 040	☐
UFSM15-100100FR	Performance Navigator	750	☐
UFSM5B-100000FR	DynamicDataReplication + DynamicSnapVolume	4 200	☐
UFSM5C-100000FR	RemoteDataReplication	3 310	☐
UFSM5C-1000U0FR	RemoteDataReplication (Upgrade from Asynchronous)	630	☐
UFSM5E-100000FR	VolumeProtect	1 700	☐
UFSM5G-100000FR	RemoteDataReplication Asynchronous	2 680	☐
UFSM62-100100FR	ReplicationControl SQL Option	1 010	☐
UFSM64-1001L0FR	ReplicationControl FileSystem Option	1 350	☐
UFSMS1-100100FR	Performance Monitor Suite	1 520	☐
M100 Software - Mandatory service			
UFSM02-100100FRS	StorageManager Suite : 1yr support + upgrade (for yr 1, 2, 3)	200	☐
UFSM12-100000FRS	Performance Monitor : 1yr support + upgrade (for yr 1, 2, 3)	140	☐
UFSM15-100100FRS	Performance Navigator : 1yr support + upgrade (for yr 1, 2, 3)	100	☐
UFSM5B-100000FRS	DynamicDataReplication + DynamicSnapVolume : 1yr support + upgrade (for yr 1, 2, 3)	570	☐
UFSM5C-100000FRS	RemoteDataReplication : 1yr support + upgrade (for yr 1, 2, 3)	450	☐
UFSM5C-1000U0FRS	RemoteDataReplication (Upgrade from Asynchronous) : 1yr support + upgrade (for yr 1, 2, 3)	90	☐
UFSM5E-100000FRS	VolumeProtect : 1yr support + upgrade (for yr 1, 2, 3)	230	☐
UFSM5G-100000FRS	RemoteDataReplication Asynchronous : 1yr support + upgrade (for yr 1, 2, 3)	360	☐
UFSM62-100100FRS	ReplicationControl SQL Option : 1yr support + upgrade (for yr 1, 2, 3)	140	☐
UFSM64-1001L0FRS	ReplicationControl FileSystem Option : 1yr support + upgrade (for yr 1, 2, 3)	180	☐
UFSMS1-100100FRS	Performance Monitor Suite : 1yr support + upgrade (for yr 1, 2, 3)	210	☐
UFSVM00-H10000FR	StorageManager Express : 1yr support + upgrade (for yr 1, 2, 3)	190	☐
M100 Software - Optional service			
UFSM02-100100FRS	StorageManager Suite : 1yr support + upgrade (for yr4 or after)	300	☐
UFSM12-100000FRS	Performance Monitor : 1yr support + upgrade (for yr4 or after)	210	☐
UFSM15-100100FRS	Performance Navigator : 1yr support + upgrade (for yr4 or after)	150	☐
UFSM5B-100000FRS	DynamicDataReplication + DynamicSnapVolume : 1yr support + upgrade (for yr4 or after)	840	☐
UFSM5C-100000FRS	RemoteDataReplication : 1yr support + upgrade (for yr4 or after)	660	☐
UFSM5C-1000U0FRS	RemoteDataReplication (Upgrade from Asynchronous) : 1yr support + upgrade (for yr4 or after)	130	☐
UFSM5E-100000FRS	VolumeProtect : 1yr support + upgrade (for yr4 or after)	340	☐
UFSM5G-100000FRS	RemoteDataReplication Asynchronous : 1yr support + upgrade (for yr4 or after)	540	☐
UFSM62-100100FRS	ReplicationControl SQL Option : 1yr support + upgrade (for yr4 or after)	200	☐
UFSM64-1001L0FRS	ReplicationControl FileSystem Option : 1yr support + upgrade (for yr4 or after)	270	☐
UFSMS1-100100FRS	Performance Monitor Suite : 1yr support + upgrade (for yr4 or after)	310	☐
UFSVM00-H10000FR	StorageManager Express : 1yr support + upgrade (for yr4 or after)	280	☐
Warranty Extension Add-on : M100 base			
RWYG3SH060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 247	☐
RWYG3SH760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	1 558	☐
RWYG3SH781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT4)	1 169	☐
RWYG5SH060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	2 597	☐
RWYG5SH760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT4)	3 247	☐
RWYG5SH781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT4)	5 130	☐

NEC Reference	Description	Price €	IC*
Warranty Extension Add-on : M100 DEU			
RWYG3SF060A	Ultracare Service ADVANTAGE 3 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	766	☐
RWYG3SF760A	Ultracare Service ADVANTAGE PLUS 3 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 065	☐
RWYG3SF781A	Ultracare Service PREMIUM 3 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 623	☐
RWYG5SF010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT3)	779	☐
RWYG5SF060A	Ultracare Service ADVANTAGE 5 Years - 4H 8x5 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	1 883	☐
RWYG5SF760A	Ultracare Service ADVANTAGE PLUS 5 Years - 4H 24x7 Intervention or CRU Exchange - from 3 years BASIC (EC-CAT3)	2 494	☐
RWYG5SF781A	Ultracare Service PREMIUM 5 Years - 6H RTC 24x7 or CRU Exchange - from 3 years BASIC (EC-CAT3)	3 338	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

A maximum protection for a minimal investment! Ideal to protect and manage the critical data of your company, assures availability and reliability!

NEC Reference	Description	Price €	IC*
Configuration example NEC T09 - LTO4 SAS			
	Items to order : LL009F-D1BH4SR : Tape Lib NEC T09-SAS 6Gb LTO4 ACN-2001-00-00 : Power cord IEC320 C13-C14 2m AIP-2111-00-00 : 1-Pack Cleaning cartridge LTO DOC-WSTD-XX-001 : Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange CBL-EXSS-2U-00 : External SAS Data Cable for tape libraries (2m, SFF8470 - SFF8088) [to LSI SAS3442E-R controller]	4 117	☑
Configuration example NEC T30 - 1x LTO4 FC			
	Items to order : LL030F-D1AL0 : Tape Lib NEC T30 no drives standard PSU (18 active modules) LL060A-D1H04AF : T30A/T60A LTO4 FC HH Drive ACN-0302-02-00 : Fiber Optic MultiMode Cable (LC-LC, 2m) AIP-2111-00-00 : 1-Pack Cleaning cartridge LTO LL060A-D1ES1 : T60A/T30A ESCAPE SLOT DOC-WSTD-XX-001 : Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange ACN-2001-00-00 : Power cord IEC320 C13-C14 2m	5 921	☑
Configuration example NEC T60 - 1x LTO5 FC			
	Items to order : LL060F-D1AL0 : Tape Lib NEC T60 no drives standard PSU (42 active modules) LL060A-D1H05AF : T30A/T60A LTO5 FC HH Drive ACN-0302-02-00 : Fiber Optic MultiMode Cable (LC-LC, 2m) AIP-2111-00-00 : 1-Pack Cleaning cartridge LTO LL060A-D1ES1 : T60A/T30A ESCAPE SLOT DOC-WSTD-XX-001 : Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange ACN-2001-00-00 : Power cord IEC320 C13-C14 2m	8 791	☑
Tape libraries			
ACN-2001-00-00	IEC320 C13-C14 Link Power Cord for UPS / PDU	10	☐
LL009F-D1AH5SR	Tape Lib NEC T09-SAS 6Gb 1U-Rack 1-drive LTO5 9 slots (no SAS cbl / no data cart)	4 620	☑
LL009F-D1BH4SR	Tape Lib NEC T09-SAS 6Gb 1U-Rack 1-drive LTO4 9 slots (no SAS cbl / no data cart)	3 960	☑
LL030F-D1AL0	Tape Lib NEC T30A (18slot enable , front and rear mag, 1 PSU, 1x cleaning cart, no drive, no data cable, no data cartridge)	1 650	☑
LL060F-D1AL0	Tape Lib NEC T60A (48slot enable , front and rear mag, 1 PSU, 1x cleaning cart, no drive, no data cable, no data cartridge)	3 790	☑
Conectivity			
ACN-0218-00-00	External SCSI Data Cable (3m, 68-Pin, HD - VHD Connectors)	68	☐
ACN-0302-02-00	Fiber Optic MultiMode Cable (LC-LC, 2m)	50	☐
CBL-EXSS-2U-00	External SAS Data Cable for tape libraries (2m, SFF8470 - SFF8088) [to LSI SAS3442E-R SAS 3Gb controller]	106	☐
CBL-EXSS-2U-01	External SAS Data Cable for tape lib (2m, SFF8088 - SFF8088) [to Flexpower or LSI SAS9212-4i4 6Gb SAS ctr]	80	☐
Tape libraries options			
LL030A-D1KM1	T30A Encryption Key Manager Module	920	☐
LL030A-D1PM1	T30A Partition Module	920	☐
LL060A-12SLOT	T30A/T60A Additional rear magazine 12slots	670	☐
LL060A-18SLOT	T30A/T60A Additional front magazine 18slots	840	☐
LL060A-D1ES1	T60A/T30A ESCAPE SLOT	130	☑
LL060A-D1H04AF	T30A/T60A LTO4 FC HH Drive	4 040	☐
LL060A-D1H04AS	T30A/T60A LTO4 SAS 6Gb HH Drive	3 170	☐
LL060A-D1H05AF	T30A/T60A LTO5 FC HH Drive	4 770	☐
LL060A-D1H05AS	T30A/T60A LTO5 SAS 6Gb HH Drive	3 910	☐
LL060A-D1KM1	T60A Encryption Key Manager Module	920	☐
LL060A-D1KY1	T30A/T60A Key module for Expantion Slots enable	920	☐
LL060A-D1PM1	T60A Partition Module	920	☐
LL060A-D1PW1	T60A Redundant power module	840	☐

NEC Reference	Description	Price €	IC*
Tape libraries options			
SDV-T09A-M9-01	T09 Magazine 9 cartridges	550	☐
Cartridges			
AIP-2111-00-00	1-Pack Cleaning cartridge LTO	40	☐
AIP-8110-00-00	1-Pack Blank cartridge LTO3	50	☐
AIP-8110-50-00	5-Pack Blank cartridge LTO3	190	☐
AIP-LTO5-00-00	Blank LTO5 (1 cartridge pack)	110	☐
MED-LTO4-DC-01	Blank LTO4 (1 cartridge pack)	100	☐
MED-LTO4-DC-05	Blank LTO4 (5 cartridge pack)	340	☐
Warranty Extension Add-on			
NWBG5SI010A	Ultracare T09 Service BASIC 5 Years - Onsite NBD intervention or CRU Exchange J+2 - from 3 years BASIC (EC-CAT1)	470	☐
NWBG5SJ010A	Ultracare T16 Service BASIC 5 Years - Onsite NBD intervention or CRU Exchange - from 3 years BASIC (LIB-CAT2)	990	☐
NWBG5SK010A	Ultracare T40 Service BASIC 5 Years - NBD Intervention or CRU Exchange - from 3 years BASIC (NECLIB-CAT3)	1 230	☐
NWBG5SL010A	Ultracare T30 (except drives) Service BASIC 5Yrs - Onsite NBD inter or CRU Exch - from 3 Yrs BAS	660	☐
NWBG5SM010A	Ultracare T60 (except drives) Service BASIC 5Yrs - Onsite NBD inter or CRU Exch - from 3 Yrs BAS	820	☐
NWBG5SN010A	Ultracare LTO Drive Service BASIC 5Yrs - Onsite NBD intervention or CRU Exchange - from 3 Yrs BAS	500	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Basic frames			
AR3104	RACK cabinet NetShelter SX 24U 600mm Wide,1070mm Depth (Front+rear doors included) [AR3104]	1 310	☐
AR3150	RACK cabinet NetShelter SX 42U 750mm Wide,1070mm Depth (Front+rear doors included) [AR3150]	1 919	☐
Cabling			
ACN-0102-00-00	Network FTP CAT5 RJ45 Direct 3m grey	10	☐
ACN-0302-02-00	Fiber Optic MultiMode Cable (LC-LC, 2m)	50	☐
ACN-0305-02-00	Fiber Optic MultiMode Cable (LC-LC, 5m)	50	☐
ACN-0315-02-00	Fiber Optic MultiMode Cable (LC-LC, 15m)	70	☐
Frame options			
AP5717	1U LCD Tray (17" screen, USA keyboard, touch pad) [AP5717]	1 230	☐
AP5717F	1U LCD Tray (17" screen, FR keyboard, touch pad) [AP5717F]	1 230	☐
AR7505	Vertical Cable Organizer, Center Rear Mount, NetShelter SX	172	☐
AR7700	Stabilizer Plate for NetShelter SX RACK Cabinet [AR7700]	76	☐
AR8101BLK	Blanking Panel Kit (1Ux1, 2Ux1, 4Ux1, 8Ux1) [AR8101BLK]	123	☐
AR8108BLK	Blanking Panel Kit (1Ux2) [AR8108BLK	38	☐
AR8122BLK	Fixed Shelf for 114kg max load [AR8122BLK]	143	☐
Keyboard/Video/Mouse Switches			
AP5602	Analog KVM 2 Users,16 Ports CAT5 Users [AP5602]	1 303	☐
AP5630	KVM PS/2 Server Module for AP5602 (CAT5 cable NOT included) [AP5630]	109	☐
AP5631	KVM USB Server Module for AP5602 (CAT5 cable NOT included) [AP5631]	109	☐
Power distribution			
ACN-2001-00-00	IEC320 C13-C14 Link Power Cord for UPS / PDU	10	☐
ACN-2002-00-00	IEC320 C19-C20 Link Power Cord for UPS / PDU	35	☐
AP7526	Rack PDU, Basic Master, H mounting, (6)C19 Outlet, 400V 3Phs IEC309 32A 3P+N+PE Inlet [AP7526]	700	☐
AP7553	Rack PDU, Basic Master, V mounting, (20)C13 + (4)C19 Outlet, 230V 1Ph IEC309 32A 2P+E Inlet [AP7553]	332	☐
AP7553	Rack PDU, Basic Master, V mounting, (20)C13 + (4)C19 Outlet, 230V 1Ph IEC309 32A 2P+E Inlet [AP7553]	332	☐
AP7855A	Rack PDU, Metered Master, V mounting, (6) C19 Outlet, 400V 3Phs IEC309 32A 3P+N+PE Inlet [AP7855A]	1 180	☐
AP9572	Rack PDU, Basic Slave, V mounting, (15)C13 Outlet, 230V 1Ph IEC 320 C20 16A Inlet [AP9572]	300	☐
Uninterruptible Power Supply			
SUA1500RMI2U	UPS 1.5KVA/980W 2U Rack (4xC13 Outlets, USB+Serial Mgt, PowerChute Sft) [SUA1500RMI2U]	838	☐
SUA3000RMI2U	UPS 3KVA/2.7KW 2U Rack (8xC13 + 1xC20 Outlets, USB+Serial Mgt, PowerChute Sft) [SUA3000RMI2U]	1 778	☐
SURT8000RMXLI	UPS 8KVA/6.4KW 6U Rack (4xC13+4xC20 Outlets, USB+Serial+LAN Mgt, PowerChute Sft) [SURT8000RMXLI]	5 160	☐
SURTD5000XLI	UPS 5KVA/3.5KW 3U Rack (8xC13+2xC20 Outlets, USB+Serial+LAN Mgt, PowerChute Sft) [SURTD5000XLI]	3 379	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Configuration Example: Management Server			
R06-00010029-B13	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU Model 0 1 * Hot swap and Redundant 650w 80+ gold power suppl 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s), 2 * 2GB DDR3-1333, 1.35V/1.5V, Registered (1x 2GB, PC3-10600) 2 * HDD SATA2 3.5" HotSwap 7,2K 500GB, 1 * On board SATA-2 RAID Controller (3 disks maximum, RAID 0/RAID1 and hotspare capable) 1 * 1x PCI-Express2 X16 Riser Board (Full Height) Standard Riser Board, 1 * Intel PRO/1000 PT Dual Port Gigabit Copper NIC 1 * Multilingual Microsoft® Windows® Server 2008 R2 64bit, Std Edition (5 CALs, Hyper-V) for Enterp Comput Network Series	3 706	☐
Configuration Example: VPCC Virtualisation Server for 60 users per server			
R06-00010026-B23	1 * NEC Server Express5800/R120b-2 Hotswap High efficency 80+ Gold PSU Model 0 1 * Hot swap and Redundant 750w 80+ gold power supply, 1 * HotSwap Redundant 4 Fans kit 2 * Intel® Xeon® Processor E5645 (6 Core, 2.4GHz, 12MB, 5.86GT/s) , 6 * 8GB DDR3-1333, 1.35V/1.5V, Registered (1x 8GB, PC3-10600) 6 * HDD SATA2 3.5" HotSwap 7,2K 500GB, 1 * LSI MegaRAID Sas/Sata 9264-8i controller, RAID0/1/5/6, 256MB, 1 * Battery Backup Unit for LSI MegaRAID SAS8708EM2 1 * 1x PCI-X 64/133MHz + 1x PCI-Express2 x8 (Full Height , 3.3V), 2 * Intel PRO/1000 PT Single Port Gigabit Copper NIC	5 023	☐
NB : Don't forget to add VMware licenses. For High Availability, please add a storage bay.			☑
VPCC Management Licenses			
UL1246-B01E	VirtualPCCenter 4.0 Management Software	860	☐
V-UL1246-A01E	VirtualPCCenter 3.0 Management Software	860	☐
VPCC Added Licenses			
UL1246-B02E	VirtualPCCenter 4.0 VPC Target License (1VPC)	173	☐
UL1246-B12E	VirtualPCCenter 4.0 VPC Target License (10VPC)	685	☐
UL1246-B22E	VirtualPCCenter 4.0 VPC Target License (100VPC)	6 885	☐
UL1246-B32E	VirtualPCCenter 4.0 VPC Target License (500VPC)	34 423	☐
V-UL1246-A02E	VirtualPCCenter 3.0 VPC Target License (1VPC)	173	☐
V-UL1246-A12E	VirtualPCCenter 3.0 VPC Target License (10VPC)	685	☐
V-UL1246-A22E	VirtualPCCenter 3.0 VPC Target License (100VPC)	6 885	☐
V-UL1246-A32E	VirtualPCCenter 3.0 VPC Target License (500VPC)	34 423	☐
VPCC Clone Licenses			
UL1246-B03E	VirtualPCCenter 4.0 Differential Clone Option (1VPC)	85	☐
UL1246-B13E	VirtualPCCenter 4.0 Differential Clone Option (10VPC)	346	☐
UL1246-B23E	VirtualPCCenter 4.0 Differential Clone Option (100VPC)	3 442	☐
UL1246-B33E	VirtualPCCenter 4.0 Differential Clone Option (500VPC)	17 212	☐
V-UL1246-A03E	VirtualPCCenter 3.0 Differential Clone Option (1VPC)	85	☐
V-UL1246-A13E	VirtualPCCenter 3.0 Differential Clone Option (10VPC)	346	☐
V-UL1246-A23E	VirtualPCCenter 3.0 Differential Clone Option (100VPC)	3 442	☐
V-UL1246-A33E	VirtualPCCenter 3.0 Differential Clone Option (500VPC)	17 212	☐
VPPC sw support			
V-ULH1S1246050F	VirtualPCCenter 2.2 Support VPC Target License (1) [ULH1S-1246-050F]	15	☐
V-ULH1S1246051F	VirtualPCCenter 2.2 Support VPC Target License (10) [ULH1S-1246-051F]	150	☐
V-ULH1S1246052F	VirtualPCCenter 2.2 Support VPC Target License (50) [ULH1S-1246-052F]	750	☐
V-ULH1S1246053F	VirtualPCCenter 2.2 Support VPC Target License (100) [ULH1S-1246-053F]	1 500	☐
V-ULH1S1246054F	VirtualPCCenter 2.2 Support VPC Target License (500) [ULH1S-1246-054F]	7 500	☐
V-ULH1S1246056F	PPSupportPack for VirtualPCCenter Manager Software 3.0 & 4.0	210	☐

NEC Reference	Description	Price €	IC*
VPPC sw support			
V-ULH1S1246057F	PPSupportPack for VirtualPCCenter Target License 3.0 & 4.0 (1VPC)	41	☐
V-ULH1S1246058F	PPSupportPack for VirtualPCCenter Target License 3.0 & 4.0 (10VPC)	163	☐
V-ULH1S1246059F	PPSupportPack for VirtualPCCenter Target License 3.0 & 4.0 (100VPC)	1 624	☐
V-ULH1S1246060F	PPSupportPack for VirtualPCCenter Target License 3.0 & 4.0 (500VPC)	8 124	☐
V-ULH1S1246061F	PPSupportPack for VirtualPCCenter Differential Clone Option 3.0 & 4.0 (1VPC)	22	☐
V-ULH1S1246062F	PPSupportPack for VirtualPCCenter Differential Clone Option 3.0 & 4.0 (10VPC)	163	☐
V-ULH1S1246063F	PPSupportPack for VirtualPCCenter Differential Clone Option 3.0 & 4.0 (100VPC)	813	☐
V-ULH1S1246064F	PPSupportPack for VirtualPCCenter Differential Clone Option 3.0 & 4.0 (500VPC)	4 062	☐
V-ULH1S1246065F	PPSupportPack for VirtualPCCenter Manager Software Edition Upgrade for Version Upgrade User 3.0 & 4.0	1 707	☐
VPPC sw support			
ULH1S-1649-017F	PPSupportPack(Citrix XenDesktop VDI Edition 1Device/User License)	34	☐
ULH1S-1649-018F	PPSupportPack(Citrix XenDesktop VDI Edition 10Device/User License)	348	☐
ULH1S-1649-019F	PPSupportPack(Citrix XenDesktop VDI Edition 100Device/User License)	3 478	☐
ULH1S-1649-020F	PPSupportPack(Citrix XenDesktop VDI Edition 500Device/User License)	17 396	☐
Thin Clients			
N8120-020F-O	NEC Thin Client US300c (with WLAN) including WDM Enterprise, 3 Yrs software support and 3 Yrs hardware warranty.	439	☐
N8120-021F-O	NEC Thin Client US300c (without WLAN) including WDM Enterprise, 3 Yrs software support and 3 Yrs hardware warranty.	399	☐
N8120-024F-O	NEC Thin Client US110c (with WLAN) including WDM Enterprise, 3 Yrs software support and 3 Yrs hardware warranty.	389	☐
N8120-025F-O	NEC Thin Client US110c (without WLAN) including WDM Enterprise, 3 Yrs software support and 3 Yrs hardware warranty.	349	☐
Thin Clients options			
N8120-100-O	Thin Client IC Card Reader [N8120-100]	50	☐
N8120-106-O	LCD Mount Bracket for US300c & US110c	35	☐
N8120-107-O	Y Cable for US300c & US110c	45	☐
PKM-UBSN-01-00	USB Keyboard (105 keys) + USB Mouse Pack - English	21	☐
PKM-UBSN-02-00	USB Keyboard (105 keys) + USB Mouse Pack - French	21	☐
PKM-UBSN-03-00	USB Keyboard (105 keys) + USB Mouse Pack - German	21	☐
PKM-UBSN-04-00	USB Keyboard (105 keys) + USB Mouse Pack - Spanish	21	☐
PKM-UBSN-06-00	USB Keyboard (105 keys) + USB Mouse Pack - Italian	21	☐
PKM-UBSN-13-00	USB Keyboard (105 keys) + USB Mouse Pack - Belgium FR	29	☐
PKM-UBSN-21-00	USB Keyboard (105 keys) + USB Mouse Pack - Arabic UK	29	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Vmware Academic List			
VCS5-FND-A	Academic VMware vCenter Server 5 Foundation for vSphere 5	1 022	☐
VCS5-STD-A	Academic VMware vCenter Server 5 Standard for vSphere	3 414	☐
VS5-ENT-A	Academic VMware vSphere 5 Enterprise for 1 processor (with 64 GB vRAM entitlement per processor)	1 970	☐
VS5-STD-A	Academic VMware vSphere 5 Standard for 1 processor (Max 6 cores per processor)	680	☐
Vmware Academic Support List			
VCS5-FND-P-SSS-A	Academic Production Support/Subscription for vCenter Server 5 Foundation for vSphere 5	711	☐
VCS5-STD-P-SSS-A	Academic Production Support/Subscription for vCenter Server 5 Standard for vSphere 5	1 377	☐
VS5-ENT-P-SSS-A	Academic Production Support/Subscription for VMware vSphere 5 Enterprise for 1 processor for 1 year	793	☐
VS5-STD-P-SSS-A	Academic Production Support/Subscription for VMware vSphere 5 Standard for 1 processor for 1 year	356	☐
Vmware Software			
UL1610-203E	VMware vSphere 5 Essentials for 3 hosts	529	☐
UL1610-204E	VMware vSphere 5 Essentials Plus for 3 hosts	4 797	☐
UL1610-205E	VMware vSphere 5 Standard for 1processor	1 070	☐
UL1610-207E	VMware vSphere 5 Enterprise for 1processor	3 068	☐
UL1610-208E	VMware vSphere 5 Enterprise Plus for 1processor	3 735	☐
UL1610-209E	VMware vCenter Server 5 Foundation	1 593	☐
UL1610-20AE	VMware vCenter Server 5 Standard	5 333	☐
UL1610-20KE	VMware vSphere 5 Standard to Enterprise for 1processor	2 210	☐
UL1610-20PE	VMware vSphere 5 Standard to Enterprise Plus for 1processor	2 938	☐
UL1610-20SE	VMware vSphere 5 Enterprise to Enterprise Plus for 1processor	729	☐
UL1610-20TE	VMware vCenter Server 5 Foundation to vCenter Server 5 Standard	4 110	☐
UL1610-20VE	VMware vSphere 5 Standard Acceleration Kit for 8 processors	10 665	☐
UL1610-20WE	VMware vSphere 5 Enterprise Acceleration Kit for 6 processors	18 652	☐
UL1610-20XE	VMware vSphere 5 Enterprise Plus Acceleration Kit for 6 processors	23 504	☐
UL1610-21ZE	VMware vSphere 5 Essentials to Essentials Plus for 3 hosts	4 695	☐
UL1610-22ZE	Upgrade : VMware vSphere 5 Essentials to vSphere 5 Standard Acceleration Kit for 8 processors	11 172	☐
UL1610-23ZE	Upgrade : VMware vSphere 5 Essentials to vSphere 5 Enterprise Acceleration Kit for 6 processors	19 966	☐
UL1610-24ZE	Upgrade : VMware vSphere 5 Essentials to vSphere 5 Enterprise Plus Acceleration Kit for 6 processors	25 222	☐
UL1610-25ZE	Upgrade : VMware vSphere 5 Essentials Plus to vSphere 5 Standard Acceleration Kit for 8 processors	7 637	☐
UL1610-26ZE	Upgrade : VMware vSphere 5 Essentials Plus to vSphere 5 Enterprise Acceleration Kit for 6 processors	16 427	☐
UL1610-27ZE	Upgrade : VMware vSphere 5 Essentials Plus to vSphere 5 Enterprise Plus Acceleration Kit for 6 processors	20 572	☐
Vmware support list			
ULH1S-1610-063F	PPSupportPack(VMware vSphere 5 Essentials for 3 hosts)(1year)	238	☐
ULH1S-1610-064F	PPSupportPack(VMware vSphere 5 Essentials Plus for 3 hosts)(1year)	1 295	☐
ULH1S-1610-065F	PPSupportPack(VMware vSphere 5 Standard for 1processor)(1year)	480	☐
ULH1S-1610-066F	PPSupportPack(VMware vSphere 5 Enterprise for 1processor)(1year)	827	☐
ULH1S-1610-067F	PPSupportPack(VMware vSphere 5 Enterprise Plus for 1processor)(1year)	1 009	☐
ULH1S-1610-068F	PPSupportPack(VMware vCenter Server 5 Foundation)(1year)	718	☐
ULH1S-1610-069F	PPSupportPack(VMware vCenter Server 5 Standard)(1year)	1 439	☐
ULH1S-1610-070F	PPSupportPack(VMware vSphere 5 Standard Acceleration Kit for 8 processors)(1year)	2 879	☐
ULH1S-1610-071F	PPSupportPack(VMware vSphere 5 Enterprise Acceleration Kit for 6 processors)(1year)	5 035	☐
ULH1S-1610-072F	PPSupportPack(VMware vSphere 5 Enterprise Plus Acceleration Kit for 6 processors)(1year)	6 344	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

FlexNDV and RackNDV : really unique solution, able to provide a full Client Virtualisation Solution, simple to install and manage, affordable and really scalable from 20 users.
Simplicity, Intuitiveness, ROI in less than 1 year.

NEC Reference	Description	Price €	IC*
EDUCATION sector			
FlexNDV-120-1Y-EDU	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 1Y SW support NB : High Availability on the broker	33 239	☑
FlexNDV-120-3Y-EDU	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 3Y SW support NB : High Availability on the broker	38 211	☑
FlexNDV-200-1Y-EDU	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 1Y SW support NB : High Availability on the broker and the hypervisors	50 463	☑
FlexNDV-200-3Y-EDU	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 3Y SW support NB : High Availability on the broker and the hypervisors	58 750	☑
RackNDV-20-1Y-EDU	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	6 518	☑
RackNDV-20-3Y-EDU	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2 50 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	7 346	☑
RackNDV-50-1Y-EDU	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	11 664	☑
RackNDV-50-3Y-EDU	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	13 736	☑
PRIVATE sector			
FlexNDV-120-1Y-PRI	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 1Y SW support NB : High Availability on the broker	39 186	☑

NEC Reference	Description	Price €	IC*
PRIVATE sector			
FlexNDV-120-3Y-PRI	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 3Y SW support NB : High Availability on the broker	45 569	☑
FlexNDV-200-1Y-PRI	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 1Y SW support NB : High Availability on the broker and the hypervisors	60 375	☑
FlexNDV-200-3Y-PRI	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 3Y SW support NB : High Availability on the broker and the hypervisors	71 013	☑
RackNDV-20-1Y-PRI	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 1 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 32 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 20 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	7 509	☑
RackNDV-20-3Y-PRI	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 1 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 32 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 20 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	8 573	☑
RackNDV-50-1Y-PRI	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	14 142	☑
RackNDV-50-3Y-PRI	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	16 802	☑
PUBLIC sector			
FlexNDV-120-1Y-PUB	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 1Y SW support NB : High Availability on the broker	34 993	☑
FlexNDV-120-3Y-PUB	NEC Server FlexPower enclosure (including 3x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 2 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 120 NDV Licenses with 3Y SW support NB : High Availability on the broker	40 993	☑
FlexNDV-200-1Y-PUB	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 1Y SW support NB : High Availability on the broker and the hypervisors	53 387	☑

NEC Reference	Description	Price €	IC*
PUBLIC sector			
FlexNDV-200-3Y-PUB	NEC Server FlexPower enclosure (including 4x1000W PSU, Hotswap Redundant fans, 1x Storage Controller, 1x Lan switch, shared lun, 1x management module and management Software), 2 * WestMere Compute Module with 1x E5620 CPU / 12 GB DDR3 1333Mhz registered Memory, 4 * WestMere Compute Module with 2x E5620 CPU / 64GB DDR3 1333Mhz registered Memory, 14 * HDD SAS 2.5" HotSwap 15K 146.5GB 200 NDV licenses with 3Y SW support NB : High Availability on the broker and the hypervisors	63 387	☑
RackNDV-20-1Y-PUB	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	6 810	☑
RackNDV-20-3Y-PUB	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2 50 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	7 810	☑
RackNDV-50-1Y-PUB	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 1Y SW support NB : in order to have high availability, just add another server	12 395	☑
RackNDV-50-3Y-PUB	1 * NEC Server Express5800/R120b-1 Hotswap High efficency 80+ Gold PSU 2 * Intel® Xeon® Processor E5645 (6 Core, 2.40GHz, 12MB, 5.86GT/s) - 64 GB DDR3-1333 3 * HDD SAS 2.5"" HotSwap 15K (6Gbps) 146.5GB - RAID with battery backup 1 * Ultracare Service BASIC 3 Years - Onsite NBD intervention or CRU exchange (EC-CAT2) 50 NDV licenses with 3Y SW support NB : in order to have high availability, just add another server	14 895	☑

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
ExpressCluster CD			
UL1276-501E	EXPRESSCLUSTER X CD 3.1	100	☐
ExpressCluster for Windows			
UL1276-502E-I	EXPRESSCLUSTER X 3.1 for Windows (1CPU license)	1 600	☐
UL1276-512E-I	EXPRESSCLUSTER X 3.1 for Windows (2CPU license)	3 200	☐
UL1276-522E-I	EXPRESSCLUSTER X 3.1 for Windows (4CPU license)	6 400	☐
UL1276-532E-I	EXPRESSCLUSTER X 3.1 for Windows (8CPU license)	11 520	☐
UL1276-542E-I	EXPRESSCLUSTER X 3.1 for Windows (16CPU license)	19 200	☐
UL1276-562E-I	EXPRESSCLUSTER X 3.1 for Windows VM (1node license)	1 600	☐
UL1276-572E-I	EXPRESSCLUSTER X 3.1 for Windows VM (2node license)	3 200	☐
UL1276-503E-I	EXPRESSCLUSTER X Replicator 3.1 for Windows (1node license)	1 070	☐
UL1276-513E-I	EXPRESSCLUSTER X Replicator 3.1 for Windows (2node license)	2 130	☐
UL1276-523E-I	EXPRESSCLUSTER X Replicator DR 3.1 for Windows (1node license)	4 270	☐
UL1276-533E-I	EXPRESSCLUSTER X Replicator DR 3.1 for Windows (2node license)	8 530	☐
UL1276-543E-I	EXPRESSCLUSTER X Replicator DR 3.1 Upgrade License for Windows (1node license)	3 200	☐
UL1276-553E-I	EXPRESSCLUSTER X Replicator DR 3.1 Upgrade License for Windows (2node license)	6 400	☐
UL1276-505E-I	EXPRESSCLUSTER X Alert Service 3.1 for Windows (1node license)	530	☐
UL1276-515E-I	EXPRESSCLUSTER X Alert Service 3.1 for Windows (2node license)	1 070	☐
UL1276-506E-I	EXPRESSCLUSTER X Database Agent 3.1 for Windows (1node license)	800	☐
UL1276-516E-I	EXPRESSCLUSTER X Database Agent 3.1 for Windows (2node license)	1 600	☐
UL1276-507E-I	EXPRESSCLUSTER X Internet Server Agent 3.1 for Windows (1node license)	800	☐
UL1276-517E-I	EXPRESSCLUSTER X Internet Server Agent 3.1 for Windows (2node license)	1 600	☐
UL1276-508E-I	EXPRESSCLUSTER X Application Server Agent 3.1 for Windows (1node license)	800	☐
UL1276-518E-I	EXPRESSCLUSTER X Application Server Agent 3.1 for Windows (2node license)	1 600	☐
UL1276-509E-I	EXPRESSCLUSTER X Anti-Virus Agent 3.1 for Windows (1node license)	800	☐
UL1276-519E-I	EXPRESSCLUSTER X Anti-Virus Agent 3.1 for Windows (2node license)	1 600	☐
UL1276-50AE-I	EXPRESSCLUSTER X Java Resource Agent 3.1 for Windows (1node license)	800	☐
UL1276-51AE-I	EXPRESSCLUSTER X Java Resource Agent 3.1 for Windows (2node license)	1 600	☐
UL1276-50BE-I	EXPRESSCLUSTER X System Resource Agent 3.1 for Windows (1node license)	800	☐
UL1276-51BE-I	EXPRESSCLUSTER X System Resource Agent 3.1 for Windows (2node license)	1 600	☐
UL1397-501E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Windows (1CPU license)	530	☐
UL1397-511E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Windows (2CPU license)	1 070	☐
UL1397-561E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Windows VM (1node license)	530	☐
UL1397-002-GL	EXPRESSCLUSTER X SingleServerSafe for Windows Upgrade License (2 CPU)	2 130	☐
ExpressCluster for Linux			
UL4276-502E-I	EXPRESSCLUSTER X 3.1 for Linux (1CPU license)	1 600	☐
UL4276-512E-I	EXPRESSCLUSTER X 3.1 for Linux (2CPU license)	3 200	☐
UL4276-522E-I	EXPRESSCLUSTER X 3.1 for Linux (4CPU license)	6 400	☐
UL4276-532E-I	EXPRESSCLUSTER X 3.1 for Linux (8CPU license)	11 520	☐
UL4276-542E-I	EXPRESSCLUSTER X 3.1 for Linux (16CPU license)	19 200	☐
UL4276-562E-I	EXPRESSCLUSTER X 3.1 for Linux VM (1node license)	1 600	☐
UL4276-572E-I	EXPRESSCLUSTER X 3.1 for Linux VM (2node license)	3 200	☐
UL4276-503E-I	EXPRESSCLUSTER X Replicator 3.1 for Linux (1node license)	1 070	☐
UL4276-513E-I	EXPRESSCLUSTER X Replicator 3.1 for Linux (2node license)	2 130	☐
UL4276-523E-I	EXPRESSCLUSTER X Replicator DR 3.1 for Linux (1node license)	4 270	☐
UL4276-533E-I	EXPRESSCLUSTER X Replicator DR 3.1 for Linux (2node license)	8 530	☐
UL4276-543E-I	EXPRESSCLUSTER X Replicator DR 3.1 Upgrade License for Linux (1node license)	3 200	☐

NEC Reference	Description	Price €	IC*
ExpressCluster for Linux			
UL4276-553E-I	EXPRESSCLUSTER X Replicator DR 3.1 Upgrade License for Linux (2node license)	6 400	☐
UL4276-505E-I	EXPRESSCLUSTER X Alert Service 3.1 for Linux (1node license)	530	☐
UL4276-515E-I	EXPRESSCLUSTER X Alert Service 3.1 for Linux (2node license)	1 070	☐
UL4276-506E-I	EXPRESSCLUSTER X Database Agent 3.1 for Linux (1node license)	800	☐
UL4276-516E-I	EXPRESSCLUSTER X Database Agent 3.1 for Linux (2node license)	1 600	☐
UL4276-507E-I	EXPRESSCLUSTER X Internet Server Agent 3.1 for Linux (1node license)	800	☐
UL4276-517E-I	EXPRESSCLUSTER X Internet Server Agent 3.1 for Linux (2node license)	1 600	☐
UL4276-508E-I	EXPRESSCLUSTER X Application Server Agent 3.1 for Linux (1node license)	800	☐
UL4276-518E-I	EXPRESSCLUSTER X Application Server Agent 3.1 for Linux (2node license)	1 600	☐
UL4276-509E-I	EXPRESSCLUSTER X File Server Agent 3.1 for Linux (1node license)	800	☐
UL4276-519E-I	EXPRESSCLUSTER X File Server Agent 3.1 for Linux (2node license)	1 600	☐
UL4276-50AE-I	EXPRESSCLUSTER X Java Resource Agent 3.1 for Linux (1node license)	800	☐
UL4276-51AE-I	EXPRESSCLUSTER X Java Resource Agent 3.1 for Linux (2node license)	1 600	☐
UL4276-50BE-I	EXPRESSCLUSTER X System Resource Agent 3.1 for Linux (1node license)	800	☐
UL4276-51BE-I	EXPRESSCLUSTER X System Resource Agent 3.1 for Linux (2node license)	1 600	☐
UL4391-501E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Linux (1CPU license)	530	☐
UL4391-511E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Linux (2CPU license)	1 070	☐
UL4391-561E	EXPRESSCLUSTER X SingleServerSafe 3.1 for Linux VM (1node license)	530	☐
UL4391-002-GL	EXPRESSCLUSTER X SingleServerSafe for Linux Upgrade License (2 CPU)	2 130	☐
PPSupport Pack Windows			
ULH1S-1276-083F	PPSupportPack(EXPRESSCLUSTER X for Windows (1CPU license))	240	☐
ULH1S-1276-084F	PPSupportPack(EXPRESSCLUSTER X for Windows (2CPU license))	480	☐
ULH1S-1276-085F	PPSupportPack(EXPRESSCLUSTER X for Windows (4CPU license))	960	☐
ULH1S-1276-086F	PPSupportPack(EXPRESSCLUSTER X for Windows (8CPU license))	1 730	☐
ULH1S-1276-087F	PPSupportPack(EXPRESSCLUSTER X for Windows (16CPU license))	2 880	☐
ULH1S-1276-107F	PPSupportPack(EXPRESSCLUSTER X for Windows VM (1node license))	240	☐
ULH1S-1276-108F	PPSupportPack(EXPRESSCLUSTER X for Windows VM (2node license))	240	☐
ULH1S-1276-089F	PPSupportPack(EXPRESSCLUSTER X Replicator for Windows (1node license))	160	☐
ULH1S-1276-090F	PPSupportPack(EXPRESSCLUSTER X Replicator for Windows (2node license))	320	☐
ULH1S-1276-091F	PPSupportPack(EXPRESSCLUSTER X Replicator DR for Windows (1node license))	640	☐
ULH1S-1276-092F	PPSupportPack(EXPRESSCLUSTER X Replicator DR for Windows (2node license))	1 280	☐
ULH1S-1276-093F	PPSupportPack(EXPRESSCLUSTER X Replicator DR Upgrade License for Windows (1node license))	480	☐
ULH1S-1276-094F	PPSupportPack(EXPRESSCLUSTER X Replicator DR Upgrade License for Windows (2node license))	960	☐
ULH1S-1276-095F	PPSupportPack(EXPRESSCLUSTER X Alert Service for Windows (1node license))	80	☐
ULH1S-1276-096F	PPSupportPack(EXPRESSCLUSTER X Alert Service for Windows (2node license))	160	☐
ULH1S-1276-097F	PPSupportPack(EXPRESSCLUSTER X Database Agent for Windows (1node license))	120	☐
ULH1S-1276-098F	PPSupportPack(EXPRESSCLUSTER X Database Agent for Windows (2node license))	240	☐
ULH1S-1276-099F	PPSupportPack(EXPRESSCLUSTER X Internet Server Agent for Windows (1node license))	120	☐
ULH1S-1276-100F	PPSupportPack(EXPRESSCLUSTER X Internet Server Agent for Windows (2node license))	240	☐
ULH1S-1276-101F	PPSupportPack(EXPRESSCLUSTER X Application Server Agent for Windows (1node license))	120	☐
ULH1S-1276-102F	PPSupportPack(EXPRESSCLUSTER X Application Server Agent for Windows (2node license))	240	☐
ULH1S-1276-103F	PPSupportPack(EXPRESSCLUSTER X Anti-Virus Agent for Windows (1node license))	120	☐
ULH1S-1276-104F	PPSupportPack(EXPRESSCLUSTER X Anti-Virus Agent for Windows (2node license))	240	☐
ULH1S-1276-119F	PPSupportPack(EXPRESSCLUSTER X Java Resource Agent for Windows (1node license))	120	☐
ULH1S-1276-120F	PPSupportPack(EXPRESSCLUSTER X Java Resource Agent for Windows (2node license))	240	☐
ULH1S-1276-121F	PPSupportPack(EXPRESSCLUSTER X System Resource Agent for Windows (1node license))	120	☐
ULH1S-1276-122F	PPSupportPack(EXPRESSCLUSTER X System Resource Agent for Windows (2node license))	240	☐
ULH1S-1397-013F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Windows (1CPU license))	80	☐
ULH1S-1397-014F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Windows (2CPU license))	160	☐
ULH1S-1397-016F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Windows VM (1node license))	80	☐

NEC Reference	Description	Price €	IC*
PPSupport Pack Windows			
UL1397-002-GL(S)	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Windows Upgrade License (2 CPU))	320	☐
PPSupport Pack Linux			
ULH1S-4276-065F	PPSupportPack(EXPRESSCLUSTER X for Linux (1CPU license))	320	☐
ULH1S-4276-066F	PPSupportPack(EXPRESSCLUSTER X for Linux (2CPU license))	640	☐
ULH1S-4276-067F	PPSupportPack(EXPRESSCLUSTER X for Linux (4CPU license))	1 280	☐
ULH1S-4276-068F	PPSupportPack(EXPRESSCLUSTER X for Linux (8CPU license))	2 300	☐
ULH1S-4276-069F	PPSupportPack(EXPRESSCLUSTER X for Linux (16CPU license))	3 840	☐
ULH1S-4276-089F	PPSupportPack(EXPRESSCLUSTER X for Linux VM (1node license))	320	☐
ULH1S-4276-090F	PPSupportPack(EXPRESSCLUSTER X for Linux VM (2node license))	640	☐
ULH1S-4276-071F	PPSupportPack(EXPRESSCLUSTER X Replicator for Linux (1node license))	220	☐
ULH1S-4276-072F	PPSupportPack(EXPRESSCLUSTER X Replicator for Linux (2node license))	450	☐
ULH1S-4276-073F	PPSupportPack(EXPRESSCLUSTER X Replicator DR for Linux (1node license))	860	☐
ULH1S-4276-074F	PPSupportPack(EXPRESSCLUSTER X Replicator DR for Linux (2node license))	1 710	☐
ULH1S-4276-075F	PPSupportPack(EXPRESSCLUSTER X Replicator DR Upgrade License for Linux (1node license))	640	☐
ULH1S-4276-076F	PPSupportPack(EXPRESSCLUSTER X Replicator DR Upgrade License for Linux (2node license))	1 280	☐
ULH1S-4276-077F	PPSupportPack(EXPRESSCLUSTER X Alert Service for Linux (1node license))	110	☐
ULH1S-4276-078F	PPSupportPack(EXPRESSCLUSTER X Alert Service for Linux (2node license))	220	☐
ULH1S-4276-079F	PPSupportPack(EXPRESSCLUSTER X Database Agent for Linux (1node license))	160	☐
ULH1S-4276-080F	PPSupportPack(EXPRESSCLUSTER X Database Agent for Linux (2node license))	320	☐
ULH1S-4276-081F	PPSupportPack(EXPRESSCLUSTER X Internet Server Agent for Linux (1node license))	160	☐
ULH1S-4276-082F	PPSupportPack(EXPRESSCLUSTER X Internet Server Agent for Linux (2node license))	320	☐
ULH1S-4276-083F	PPSupportPack(EXPRESSCLUSTER X Application Server Agent for Linux (1node license))	160	☐
ULH1S-4276-084F	PPSupportPack(EXPRESSCLUSTER X Application Server Agent for Linux (2node license))	320	☐
ULH1S-4276-085F	PPSupportPack(EXPRESSCLUSTER X File Server Agent for Linux (1node license))	160	☐
ULH1S-4276-086F	PPSupportPack(EXPRESSCLUSTER X File Server Agent for Linux (2node license))	320	☐
ULH1S-4276-101F	PPSupportPack(EXPRESSCLUSTER X Java Resource Agent for Linux (1node license))	160	☐
ULH1S-4276-102F	PPSupportPack(EXPRESSCLUSTER X Java Resource Agent for Linux (2node license))	320	☐
ULH1S-4276-103F	PPSupportPack(EXPRESSCLUSTER X System Resource Agent for Linux (1node license))	160	☐
ULH1S-4276-104F	PPSupportPack(EXPRESSCLUSTER X System Resource Agent for Linux (2node license))	320	☐
ULH1S-4391-006F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Linux (1CPU license))	110	☐
ULH1S-4391-007F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Linux (2CPU license))	220	☐
ULH1S-4391-009F	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Linux VM (1node license))	110	☐
UL4391-002-GL(S)	PPSupportPack(EXPRESSCLUSTER X SingleServerSafe for Linux Upgrade License (2 CPU))	420	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC SystemManager

This tool centrally manages the information of failures, configuration and performance on a multi-platform environment, allowing stable and efficient management. Ideal for infrastructures from 10 to 100 servers.
Easy to install and to use, it supports any brand of servers running under Windows, Linux, HP-UX, Solaris.
Monitors processes and services, logs, file capacity and performance of the processor, memory and hard drive.

NEC Reference	Description	Price €	IC*
Management License			
UW03G3-N81M0E	MasterScope SystemManager Manager for Windows	2 100	☐
Agent Server License			
UW03G3-N80A0E	MasterScope SystemManager Agent(1AG) for HP-UX/Solaris/AIX	450	☐
UW03G3-N80A1E	MasterScope SystemManager Agent(5AG) for HP-UX/Solaris/AIX	1 900	☐
UW03G3-N80A2E	MasterScope SystemManager Agent(20AG) for HP-UX/Solaris/AIX	7 300	☐
UW03G3-N80H0E	MasterScope SystemManager Agent(1AG) HA Option for HP-UX/Solaris/AIX	50	☐
UW03G3-N80H1E	MasterScope SystemManager Agent(5AG) HA Option for HP-UX/Solaris/AIX	200	☐
UW03G3-N80H2E	MasterScope SystemManager Agent(20AG) HA Option for HP-UX/Solaris/AIX	750	☐
UW03G3-N81A0E	MasterScope SystemManager Agent(1AG) for Win/Linux	300	☐
UW03G3-N81A1E	MasterScope SystemManager Agent(5AG) for Win/Linux	1 300	☐
UW03G3-N81A2E	MasterScope SystemManager Agent(20AG) for Win/Linux	4 900	☐
UW03G3-N81H0E	MasterScope SystemManager Agent(1AG) HA Option for Win/Linux	30	☐
UW03G3-N81H1E	MasterScope SystemManager Agent(5AG) HA Option for Win/Linux	130	☐
UW03G3-N81H2E	MasterScope SystemManager Agent(20AG) HA Option for Win/Linux	490	☐
UW03G3-N81P0E	MasterScope SystemManager Manager ApLinker Option(1MG) for Windows	500	☐
Support License			
UW03G3-H70A0E	MasterScope SystemManager Agent(1AG) for HP-UX/Solaris (PPSupportPack)	100	☐
UW03G3-H70A1E	MasterScope SystemManager Agent(5AG) for HP-UX/Solaris (PPSupportPack)	380	☐
UW03G3-H70A2E	MasterScope SystemManager Agent(20AG) for HP-UX/Solaris (PPSupportPack)	1 400	☐
UW03G3-H70H0E	MasterScope SystemManager Agent(1AG) HA Option for HP-UX/Solaris (PPSupportPack)	30	☐
UW03G3-H70H1E	MasterScope SystemManager Agent(5AG) HA Option for HP-UX/Solaris (PPSupportPack)	40	☐
UW03G3-H70H2E	MasterScope SystemManager Agent(20AG) HA Option for HP-UX/Solaris (PPSupportPack)	150	☐
UW03G3-H71A0E	MasterScope SystemManager Agent(1AG) for Win/Linux (PPSupportPack)	60	☐
UW03G3-H71A1E	MasterScope SystemManager Agent(5AG) for Win/Linux (PPSupportPack)	250	☐
UW03G3-H71A2E	MasterScope SystemManager Agent(20AG) for Win/Linux (PPSupportPack)	900	☐
UW03G3-H71H0E	MasterScope SystemManager Agent(1AG) HA Option for Win/Linux (PPSupportPack)	25	☐
UW03G3-H71H1E	MasterScope SystemManager Agent(5AG) HA Option for Win/Linux (PPSupportPack)	40	☐
UW03G3-H71H2E	MasterScope SystemManager Agent(20AG) HA Option for Win/Linux (PPSupportPack)	100	☐
UW03G3-H71M0E	MasterScope SystemManager Manager for Win/Linux (PPSupportPack)	400	☐
UW03G3-H81P0E	MasterScope SystemManager Manager ApLinker Option(1MG) for Windows (PPSuppportPack)	150	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC NetworkManager

Monitor, maintain and implement multi-vendor network devices from few to an unlimited quantity of devices in the same building or across data centers, cities or countries. Ideal to reduce the administration time and efforts.
Easy to install and to manage the configuration, troubleshooting, and performance of a network, NetworkManager fully supports the many tasks involved in network management such as required back-up of device configuration files and software updates.

NEC Reference	Description	Price €	IC*
Manager License			
UL1444-008E	MasterScope Network Manager NetworkProvisioning function license	3 450	☐
UL1444-401E	MasterScope Network Manager 4.0 (100 node)	5 300	☐
UL1444-411E	MasterScope Network Manager 4.0 (250 node)	6 000	☐
UL1444-421E	MasterScope Network Manager 4.0 (1000 node)	17 400	☐
UL1444-431E	MasterScope Network Manager 4.0 (500 node)	8 850	☐
UL1444-441E	MasterScope Network Manager 4.0 (unlimited node)	24 000	☐
UL1444-451E	MasterScope Network Manager 4.0 (50 node)	2 700	☐
UL1444-003E	MasterScope Network Manager ResourceManager function license	3 600	☐
UL1444-005E	MasterScope Network Manager ResourceManager additional 50 node license	1 250	☐
UL1444-015E	MasterScope Network Manager ResourceManager additional 200 node license	4 560	☐
UL1444-025E	MasterScope Network Manager ResourceManager additional 500 node license	11 400	☐
UL1444-002E	MasterScope Network Manager upgrade license (100 to 250)	1 150	☐
UL1444-012E	MasterScope Network Manager upgrade license (250 to 1000)	12 550	☐
UL1444-022E	MasterScope Network Manager upgrade license (250 to 500)	3 450	☐
UL1444-032E	MasterScope Network Manager upgrade license (500 to 1000)	9 150	☐
UL1444-042E	MasterScope Network Manager upgrade license (1000 to unlimited)	7 400	☐
UL1444-052E	MasterScope Network Manager upgrade license (50 to 100)	2 850	☐
UL1444-007E	MasterScope Network Manager NodeManager unlimited node license	3 450	☐
Support License			
ULH1S-1444-025F	PPSupportPack(MasterScope Network Manager (100 node))	1 100	☐
ULH1S-1444-026F	PPSupportPack(MasterScope Network Manager (250 node))	1 400	☐
ULH1S-1444-027F	PPSupportPack(MasterScope Network Manager (1000 node))	3 200	☐
ULH1S-1444-049F	PPSupportPack(MasterScope Network Manager (50 node))	600	☐
ULH1S-1444-050F	PPSupportPack(MasterScope Network Manager (500 node))	1 800	☐
ULH1S-1444-051F	PPSupportPack(MasterScope Network Manager (unlimited node))	4 500	☐
ULH1S-1444-030F	PPSupportPack(MasterScope Network Manager ResourceManager function license)	650	☐
ULH1S-1444-034F	PPSupportPack(MasterScope Network Manager NodeManager unlimited node license)	650	☐
ULH1S-1444-035F	PPSupportPack(MasterScope Network Manager NetworkProvisioning function license)	650	☐
ULH1S-1444-031F	PPSupportPack(MasterScope Network Manager ResourceManager additional 50 node license)	350	☐
ULH1S-1444-032F	PPSupportPack(MasterScope Network Manager ResourceManager additional 200 node license)	850	☐
ULH1S-1444-033F	PPSupportPack(MasterScope Network Manager ResourceManager additional 500 node license)	2 150	☐
ULH1S-1444-028F	PPSupportPack(MasterScope Network Manager upgrade license (100 to 250))	350	☐
ULH1S-1444-029F	PPSupportPack(MasterScope Network Manager upgrade license (250 to 1000))	2 350	☐
ULH1S-1444-052F	PPSupportPack(MasterScope Network Manager upgrade license (50 to 100))	550	☐
ULH1S-1444-053F	PPSupportPack(MasterScope Network Manager upgrade license (250 to 500))	650	☐
ULH1S-1444-054F	PPSupportPack(MasterScope Network Manager upgrade license (500 to 1000))	2 000	☐
ULH1S-1444-055F	PPSupportPack(MasterScope Network Manager upgrade license (1000 to unlimited))	1 400	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Invariant Analyzer

Invariant Analyzer automatically detects and diagnoses system failures that were undetectable and delivers an improved service level with reduced total cost of ownership (TCO).
Invariant Analyzer leverages NEC's unique technology to automatically detect silent failures and localize their root causes even in large-scale systems, providing proactive troubleshooting and avoiding future critical problems.
Easy to use, it supports complex and large scale infrastructures and runs on any brand of servers under Windows, Linux, HP-UX, Solaris, AIX.

NEC Reference	Description	Price €	IC*
Invariant Analyzer Manager			
UW03G1-NDUW0E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Option for Windows	7 000	☐
Global Media			
UW03F8-NA0A0E	MasterScope Media Ver9.0	150	☐
Invariant Analyzer Agent			
UW03G1-NDV00E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Additional 1,000 Counters License	2 300	☐
UW03G1-NDV01E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Additional 10,000 Counters License	22 000	☐
UW03G1-NDW00E	MasterScope MISSION CRITICAL OPERATIONS HA Option Invariant Analyzer Additional 1,000 Counters License	250	☐
UW03G1-NDW01E	MasterScope MISSION CRITICAL OPERATIONS HA Option Invariant Analyzer Additional 10,000 Counters License	2 300	☐
Mission Critical Manager			
UW03G1-NDA00E	MasterScope MISSION CRITICAL OPERATIONS View	250	☐
UW03G1-NDBW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager for Windows	18 000	☐
UW03G1-NDKW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager Provisioning Option for Windows	2 400	☐
UW03G1-NDLW0E	MasterScope MISSION CRITICAL OPERATIONS Hierarchical Manager Option for Windows	4 800	☐
UW03G1-NDSW0E	MasterScope MISSION CRITICAL OPERATIONS ApLinker Manager for Windows	500	☐
UW03G1-NDTW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager ServiceManager Option for Windows	2 500	☐
Mission Critical Agent			
UW03G1-NDCU0E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(1AG) for HP-UX/Solaris/AIX	1 100	☐
UW03G1-NDCU1E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(5AG) for HP-UX/Solaris/AIX	5 500	☐
UW03G1-NDCU2E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(20AG) for HP-UX/Solaris/AIX	20 000	☐
UW03G1-NDCW0E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(1AG) for Win/Linux	550	☐
UW03G1-NDCW1E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(5AG) for Win/Linux	2 600	☐
UW03G1-NDCW2E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(20AG) for Win/Linux	9 500	☐
UW03G1-NDDU0E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(1AG) for HP-UX/Solaris/AIX	110	☐
UW03G1-NDDU1E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(5AG) for HP-UX/Solaris/AIX	530	☐
UW03G1-NDDU2E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(20AG) for HP-UX/Solaris/AIX	2 000	☐
UW03G1-NDDU3E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(50AG) for HP-UX/Solaris/AIX	4 600	☐
UW03G1-NDDW0E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(1AG) for Win/Linux	60	☐
UW03G1-NDDW1E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(5AG) for Win/Linux	300	☐
UW03G1-NDDW2E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(20AG) for Win/Linux	1 050	☐
UW03G1-NDDW3E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(50AG) for Win/Linux	2 200	☐
UW03G1-NDHW0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Manager for Windows	2 400	☐
UW03G1-NDJU0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(1AG) for HP-UX/Solaris/AIX	900	☐
UW03G1-NDJU1E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(5AG) for HP-UX/Solaris/AIX	4 600	☐
UW03G1-NDJU2E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(20AG) for HP-UX/Solaris/AIX	17 400	☐
UW03G1-NDJW0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(1AG) for Win/Linux	480	☐
UW03G1-NDJW1E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(5AG) for Win/Linux	2 100	☐
UW03G1-NDJW2E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(20AG) for Win/Linux	7 700	☐
UW03G1-NDNW0E	MasterScope MISSION CRITICAL OPERATIONS Operations Manager for Windows	2 400	☐
UW03G1-NDPU0E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(1AG) for HP-UX/Solaris/AIX	970	☐
UW03G1-NDPU1E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(5AG) for HP-UX/Solaris/AIX	4 600	☐
UW03G1-NDPU2E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(20AG) for HP-UX/Solaris/AIX	17 400	☐

NEC Reference	Description	Price €	IC*
Mission Critical Agent			
UW03G1-NDPW0E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(1AG) for Win/Linux	480	☐
UW03G1-NDPW1E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(5AG) for Win/Linux	2 100	☐
UW03G1-NDPW2E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(20AG) for Win/Linux	7 700	☐
Support For MCO Manager			
UW03F8-H90A0E	MasterScope Media Ver9.0 (PPSupportPack)	60	☐
UW03G1-HCA00E	MasterScope MISSION CRITICAL OPERATIONS View (PPSupportPack)	60	☐
UW03G1-HCBW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager for Windows (PPSupportPack)	3 500	☐
UW03G1-HCHW0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Manager for Windows (PPSupportPack)	460	☐
UW03G1-HCKW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager Provisioning Option for Windows (PPSupportPack)	460	☐
UW03G1-HCLW0E	MasterScope MISSION CRITICAL OPERATIONS Hierarchical Manager Option for Windows (PPSupportPack)	930	☐
UW03G1-HCNW0E	MasterScope MISSION CRITICAL OPERATIONS Operations Manager for Windows (PPSupportPack)	460	☐
UW03G1-HCSW0E	MasterScope MISSION CRITICAL OPERATIONS ApLinker Manager for Windows (PPSupportPack)	100	☐
UW03G1-HCTW0E	MasterScope MISSION CRITICAL OPERATIONS Base Manager ServiceManager Option for Windows (PPSupportPack)	480	☐
UW03G1-HCUW0E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Option for Windows (PPSupportPack)	1 400	☐
UW03G1-HCV00E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Additional 1,000 Counters License (PPSupportPack)	530	☐
UW03G1-HCV01E	MasterScope MISSION CRITICAL OPERATIONS Invariant Analyzer Additional 10,000 Counters License (PPSupportPack)	5 000	☐
UW03G1-HCW00E	MasterScope MISSION CRITICAL OPERATIONS HA Option Invariant Analyzer Additional 1,000 Counters License (PPSupportPack)	60	☐
UW03G1-HCW01E	MasterScope MISSION CRITICAL OPERATIONS HA Option Invariant Analyzer Additional 10,000 Counters License (PPSupportPack)	500	☐
Support For IA Agent			
UW03G1-HCCU0E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(1AG) for HP-UX/Solaris/AIX (PPSupportPack)	240	☐
UW03G1-HCCU1E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(5AG) for HP-UX/Solaris/AIX (PPSupportPack)	1 100	☐
UW03G1-HCCU2E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(20AG) for HP-UX/Solaris/AIX (PPSupportPack)	4 000	☐
UW03G1-HCCW0E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(1AG) for Win/Linux (PPSupportPack)	110	☐
UW03G1-HCCW1E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(5AG) for Win/Linux (PPSupportPack)	550	☐
UW03G1-HCCW2E	MasterScope MISSION CRITICAL OPERATIONS Base Agent(20AG) for Win/Linux (PPSupportPack)	1 800	☐
UW03G1-HCDU0E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(1AG) for HP-UX/Solaris/AIX (PPSupportPack)	30	☐
UW03G1-HCDU1E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(5AG) for HP-UX/Solaris/AIX (PPSupportPack)	110	☐
UW03G1-HCDU2E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(20AG) for HP-UX/Solaris/AIX (PPSupportPack)	420	☐
UW03G1-HCDU3E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(50AG) for HP-UX/Solaris/AIX (PPSupportPack)	1 000	☐
UW03G1-HCDW0E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(1AG) for Win/Linux (PPSupportPack)	25	☐
UW03G1-HCDW1E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(5AG) for Win/Linux (PPSupportPack)	60	☐
UW03G1-HCDW2E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(20AG) for Win/Linux (PPSupportPack)	210	☐
UW03G1-HCDW3E	MasterScope MISSION CRITICAL OPERATIONS HA Option Agent(50AG) for Win/Linux (PPSupportPack)	475	☐
UW03G1-HCJU0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(1AG) for HP-UX/Solaris/AIX (PPSupportPack)	180	☐
UW03G1-HCJU1E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(5AG) for HP-UX/Solaris/AIX (PPSupportPack)	880	☐
UW03G1-HCJU2E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(20AG) for HP-UX/Solaris/AIX (PPSupportPack)	3 300	☐
UW03G1-HCJW0E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(1AG) for Win/Linux (PPSupportPack)	90	☐
UW03G1-HCJW1E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(5AG) for Win/Linux (PPSupportPack)	400	☐
UW03G1-HCJW2E	MasterScope MISSION CRITICAL OPERATIONS Workflow Agent(20AG) for Win/Linux (PPSupportPack)	1 400	☐
UW03G1-HCPU0E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(1AG) for HP-UX/Solaris/AIX (PPSupportPack)	180	☐
UW03G1-HCPU1E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(5AG) for HP-UX/Solaris/AIX (PPSupportPack)	880	☐

NEC Reference	Description	Price €	IC*
Support For IA Agent			
UW03G1-HCPU2E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(20AG) for HP-UX/Solaris/AIX (PPSupportPack)	3 300	☐
UW03G1-HCPW0E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(1AG) for Win/Linux (PPSupportPack)	90	☐
UW03G1-HCPW1E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(5AG) for Win/Linux (PPSupportPack)	400	☐
UW03G1-HCPW2E	MasterScope MISSION CRITICAL OPERATIONS Operations Agent(20AG) for Win/Linux (PPSupportPack)	1 400	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

With NEC SigmaSystemCenter, maintenance tasks in a heterogeneous virtualized environment can be done at once for all machines through one consistent user interface, greatly reducing the workload on administrators and cutting system management costs.

NEC Reference	Description	Price €	IC*
Management License			
UL1251-50CE	NEC SigmaSystemCenter 2.1 Standard Edition	9 500	☐
UL1251-50DE	NEC SigmaSystemCenter 2.1 Standard Edition Additional License	7 500	☐
UL1251-50GE	NEC SigmaSystemCenter 2.1 Enterprise Edition Additional License	26 000	☐
UL1251-50JE	NEC SigmaSystemCenter 2.1 Enterprise License	9 500	☐
Target Server License			
UL1251-50KE	NEC SigmaSystemCenter 2.1 Windows Server Target License(1)	1 000	☐
UL1251-50LE	NEC SigmaSystemCenter 2.1 Linux Server Target License(1)	1 000	☐
UL1251-50ME	NEC SigmaSystemCenter 2.1 Windows Client Target License(1)	200	☐
UL1251-50NE	NEC SigmaSystemCenter 2.1 Virtual Server Management Option	2 000	☐
UL1251-50RE	NEC SigmaSystemCenter 2.1 Standard Edition Management Server Cluster License	4 000	☐
UL1251-50UE	NEC SigmaSystemCenter 2.1 VM Host Socket License(1)	1 500	☐
UL1251-51KE	NEC SigmaSystemCenter 2.1 Windows Server Target License(5)	4 800	☐
UL1251-51LE	NEC SigmaSystemCenter 2.1 Linux Server Target License(5)	4 800	☐
UL1251-51ME	NEC SigmaSystemCenter 2.1 Windows Client Target License(100)	18 000	☐
UL1251-51UE	NEC SigmaSystemCenter 2.1 VM Host Socket License(2)	3 000	☐
UL1251-52KE	NEC SigmaSystemCenter 2.1 Windows Server Target License(10)	9 000	☐
UL1251-52LE	NEC SigmaSystemCenter 2.1 Linux Server Target License(10)	9 000	☐
UL1251-52ME	NEC SigmaSystemCenter 2.1 Windows Client Target License(500)	66 000	☐
UL1251-52UE	NEC SigmaSystemCenter 2.1 VM Host Socket License(5)	7 200	☐
UL1251-53KE	NEC SigmaSystemCenter 2.1 Windows Server Target License(50)	40 000	☐
UL1251-53LE	NEC SigmaSystemCenter 2.1 Linux Server Target License(50)	40 000	☐
UL1251-53ME	NEC SigmaSystemCenter 2.1 Windows Client Target License(1000)	100 000	☐
UL1251-53UE	NEC SigmaSystemCenter 2.1 VM Host Socket License(10)	14 000	☐
Support License			
ULH1S-1251-025F	PPSupportPack(NEC SigmaSystemCenter Standard Edition)	1 800	☐
ULH1S-1251-026F	PPSupportPack(NEC SigmaSystemCenter Standard Edition Additional License)	1 400	☐
ULH1S-1251-027F	PPSupportPack(NEC SigmaSystemCenter Enterprise License)	6 000	☐
ULH1S-1251-028F	PPSupportPack(NEC SigmaSystemCenter Additional Enterprise License)	3 000	☐
ULH1S-1251-029F	PPSupportPack(NEC SigmaSystemCenter Windows Server Target License(1))	200	☐
ULH1S-1251-030F	PPSupportPack(NEC SigmaSystemCenter Windows Server Target License(5))	900	☐
ULH1S-1251-031F	PPSupportPack(NEC SigmaSystemCenter Windows Server Target License(10))	1 700	☐
ULH1S-1251-032F	PPSupportPack(NEC SigmaSystemCenter Windows Server Target License(50))	8 000	☐
ULH1S-1251-033F	PPSupportPack(NEC SigmaSystemCenter Linux Server Target License(1))	200	☐
ULH1S-1251-034F	PPSupportPack(NEC SigmaSystemCenter Linux Server Target License(5))	900	☐
ULH1S-1251-035F	PPSupportPack(NEC SigmaSystemCenter Linux Server Target License(10))	1 700	☐
ULH1S-1251-036F	PPSupportPack(NEC SigmaSystemCenter Linux Server Target License(50))	8 000	☐
ULH1S-1251-037F	PPSupportPack(NEC SigmaSystemCenter Windows Client Target License(1))	40	☐
ULH1S-1251-038F	PPSupportPack(NEC SigmaSystemCenter Windows Client Target License(100))	3 500	☐
ULH1S-1251-039F	PPSupportPack(NEC SigmaSystemCenter Windows Client Target License(500))	13 000	☐
ULH1S-1251-040F	PPSupportPack(NEC SigmaSystemCenter Windows Client Target License(1000))	19 000	☐
ULH1S-1251-041F	PPSupportPack(NEC SigmaSystemCenter Virtual Server Management Option)	380	☐
ULH1S-1251-042F	PPSupportPack(NEC SigmaSystemCenter Management Server Clustering License)	700	☐
ULH1S-1251-047F	PPSupportPack(NEC SigmaSystemCenter VM Host Socket License(1))	300	☐
ULH1S-1251-048F	PPSupportPack(NEC SigmaSystemCenter VM Host Socket License(2))	600	☐

NEC Reference	Description	Price €	IC*
Support License			
ULH1S-1251-049F	PPSupportPack(NEC SigmaSystemCenter VM Host Socket License(5))	1 400	☐
ULH1S-1251-050F	PPSupportPack(NEC SigmaSystemCenter VM Host Socket License(10))	2 700	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Additional Host Swap Power module Add-on			
ENS-0650-HR-00	650W HotSwap High efficiency 80+Redundant Power Supply Unit (with 1 power cable IEC320 C13 - C14)	169	☐
ENS-0750-HR-00	750W HotSwap High Efficiency 80+ Redundant Power Supply Unit (with 1 power cable IEC320 C13 - C14)	169	☐
Back up Device Accessory Add-on			
AIP-1610-00-00	1-Pack Blank cartridge DAT160	45	☐
AIP-7210-00-00	1-Pack Blank cartridge DAT72	19	☐
Battery Back up unit for RAID controller Add-on			
ENS-8708-BB-00	Battery Backup Unit for internal RAID controller (Megaraid SAS8708EM2)	169	☐
ENS-8880-BB-00	Battery Backup Unit for external RAID controller (Megaraid SAS8880EM2)	286	☐
Controller card for backup device Add-on			
AIF-0602-00-00	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
Hard Disc Drive Add-on			
ADH-5501-00-00	500GB 7200rpm 3.5' SATA2 HotSwap HDD	117	☐
HDD-1415-S2-02	146GB 15Krpm 2.5' SAS HotSwap HDD	208	☐
HDD-1T72-T3-07	1TB 7200rpm 3.5' SATA2 HotSwap HDD	130	☐
HDD-3010-S2-02	300GB 10Krpm 2.5' SAS HotSwap HDD	234	☐
HDD-6015-S3-01	600GB 15Krpm 3.5' SAS HotSwap HDD	519	☐
Memory Add-on			
MEM-0210-R3-01	2GB DDR3-1066 ECC Registered SDRAM (1x 2GB, PC3-8500)	78	☐
MEM-0410-R3-01	4GB DDR3-1066 ECC Registered SDRAM (1x 4GB, PC3-8500)	104	☐
MEM-0810-R3-00	8GB DDR3-1066 ECC Registered SDRAM (1x 8GB, PC3-8500)	234	☐
Miscellaneous Add-on			
ACN-0045-00-00	SCSI Tape Data Cable	39	☐
CBL-POWR-EU-00	Standard European (Schuko - CEE 7/7) to IEC320 C13 Power Cable kit (1 cable)	6	☐
CBL-POWR-GB-00	Standard British (BS 1363/A) to IEC320 C13 Power Cable kit (1 cable)	6	☐
Network adapters Add-on			
ALN-0424-00-00	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL) dual bracket	45	☐
ALN-0622-00-00	Intel PRO/1000 PT Dual Port Gigabit Copper NIC (2x 10/100/1000, 2x RJ45, PCI Express X4, ALB/AFT) dual bracket	130	☐
ALN-0820-00-00	Intel PRO/1000 PT Quad Port Gigabit Copper NIC (1x 10/100/1000, 4x RJ45, PCI-Express X4, AFT/ALB) dual bracket	351	☐
Processor Add-on			
CPU-5506-EI-02	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.8GT/s)	338	☐
CPU-5560-XI-02	Intel® Xeon® Processor X5560 (QuadCore, 2.8GHz, 8MB, 6.4GT/s)	1 494	☐
Rack Accessories Add-on			
MCH-RAIL-RH-00	RailKit OneTouchRails with round holes adapter	65	☐
RAID controller for external storage Add-on			
HBA-S8R9-XX-00	LSI Logic MegaRAID SAS 8880EM2 8-Channel (External) RAID Controller PCI-Express X8 (512MB Cache, RAID0, 1, 5, 6, 10, 50, 2x MiniSAS SFF8088 for externals JBOD	403	☐
RAID controller for internal HDD Add-on			
AIF-0693-00-U0	LSI Megaraid SAS 8708EM2 RAID 5,6 Upgrade Kit (extension of SAS8708EM2 RAID 0,1 module)	39	☐
AIF-0693-01-00	LSI Megaraid SAS 8708EM2 RAID Controller (128MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA, no cable)	260	☐
AIF-0699-00-01	LSI Megaraid SAS 8708EM2 RAID Controller (256MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA)	299	☐
Riser board Add-on			
RBD-IFXX-EX-00	2x PCI 64-bit/33MHz (5V)	58	☐
RBD-IFXX-XX-00	1x PCI-X 64/133MHz + 1x PCI-Express2 x8 (Full Height , 3.3V)	45	☐

NEC Reference	Description	Price €	IC*
Riser board Add-on			
RBD-IFXX-XX-01	1x PCI-X 64-bit/133MHz (Full Height, 3.3V)	58	☐
Software Add-on			
DOC-SV08-MS-01	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (English)	104	☐
DOC-SV08-MS-02	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (French)	104	☐
DOC-SV08-MS-03	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (German)	104	☐
DOC-SV08-MS-04	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Spanish)	104	☐
DOC-SV08-MS-06	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Italian)	104	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Additional Host Swap Power module Add-on			
ENS-0600-HR-00	600W HotSwap Redundant Power Supply Unit (High Efficient, power cord Europe & UK included)	130	☐
Back-up Device Accessory Add-on			
AIP-1610-00-00	1-Pack Blank cartridge DAT160	45	☐
AIP-4011-00-00	1-Pack Cleaning cartridge DDS4/DAT72	19	☐
AIP-7210-00-00	1-Pack Blank cartridge DAT72	19	☐
MED-LTO4-DC-11	1-Pack Blank cartridge LTO4	65	☐
MED-LTO4-DC-15	5-Pack Blank cartridge LTO4	260	☐
Backup devices Add-on			
ADT-8115-00-00	LTO-3 (400/800GB) SCSI Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 351	☐
SDV-LTO4-IN-00	LTO-4 (800/1600GB) SAS Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 623	☐
Controller card for Backup devices and libraries Add-on			
AIF-0602-00-00	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
Hard Disk Drives Add-on			
HDD-1410-S2-01	146GB 10Krpm 2.5" SAS HotSwap HDD	169	☐
HDD-1415-S2-00	146GB 15Krpm 2.5" SAS HotSwap HDD	208	☐
HDD-3010-S2-01	300GB 10Krpm 2.5' SAS HotSwap HDD	234	☐
HDD-5072-T2-00	500GB 7200rpm SATA2 2.5' HDD	195	☐
HDD cage Add-on			
MCH-CAGE-43-01	4x SATA-2 / SAS HotSwap 3.5' HDD Cage (including cables)	91	☐
Licences Software Add-on			
DOC-SV08-MS-01	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (English)	104	☐
DOC-SV08-MS-02	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (French)	104	☐
DOC-SV08-MS-03	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (German)	104	☐
DOC-SV08-MS-04	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Spanish)	104	☐
DOC-SV08-MS-06	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Italian)	104	☐
Memory Add-on			
MEM-0410-R3-00	4GB DDR3-1066Mhz ECC Registered SDRAM (1x 4GB, PC3-8500, 1.5V, Not compatible with DDR3 Unbuffered memory)	104	☐
Network Adapters Add-on			
ALN-0424-00-00	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL, standard & low profile brackets)	45	☐
ALN-0622-00-00	Intel PRO/1000 PT Dual Port Gigabit Copper NIC (2x 10/100/1000, 2x RJ45, PCI-Express X4, ALB/AFT, standard & low profile brackets)	130	☐
Rack mount Kit Add-on			
MCH-NRMK-5U-00	5U Rack Mount Kit	227	☐
RAID Controller for internal Hard Disk Drives Add-on			
AIF-0693-00-U0	LSI Megaraid SAS 8708EM2 RAID 5,6 Upgrade Kit (extension of SAS8708EM2 RAID 0,1 module)	39	☐
AIF-0693-01-00	LSI Megaraid SAS 8708EM2 RAID Controller (128MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA, no cable)	260	☐
AIF-0699-00-01	LSI Megaraid SAS 8708EM2 RAID Controller (256MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA, no cable)	299	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Additional Host Swap Fan module Add-on			
N8181-66F-O	HotSwap Redundant Fan kit	45	☐
Back-up Device Accessory Add-on			
AIP-1610-00-00	1-Pack Blank cartridge DAT160	45	☐
AIP-2111-00-00	1-Pack Cleaning cartridge LTO	40	☐
AIP-4011-00-00	1-Pack Cleaning cartridge DDS4/DAT72	19	☐
AIP-7210-00-00	1-Pack Blank cartridge DAT72	19	☐
AIP-8110-00-00	1-Pack Blank cartridge LTO3	50	☐
AIP-8110-50-00	5-Pack Blank cartridge LTO3	190	☐
MED-LTO4-DC-11	1-Pack Blank cartridge LTO4	65	☐
MED-LTO4-DC-15	5-Pack Blank cartridge LTO4	260	☐
Backup devices Add-on			
ADT-8115-00-00	LTO-3 (400/800GB) SCSI Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 351	☐
SDV-LTO4-IN-00	LTO-4 (800/1600GB) SAS Half-Height Internal Tape Drive (1x Media, 1x Cleaning Kit)	1 623	☐
Controller card for Backup devices and libraries Add-on			
AIF-0602-00-00	Adaptec 29320LPE SCSI U320 1-Channel Controller PCI Express X1	195	☐
External Floppy Disk Drive Add-on			
N8160-81-O	3.5' 1.44MB External Floppy Disk Drive (USB1.1)	45	☐
Hard Disk Drives Add-on			
N8150-201-O	146GB 15Krpm 3.5' SAS HotSwap HDD	156	☐
N8150-256-O	146GB 10Krpm 2.5' SAS HotSwap HDD	169	☐
N8150-263-O	HDD SATA2 3.5" HotSwap 7,2K 1TB	130	☐
N8150-268-O	300GB 10Krpm 2.5' SAS HotSwap HDD	234	☐
N8150-269-O	146GB 15Krpm 2.5' SAS HotSwap HDD	208	☐
N8150-274-O	HDD SATA2 3.5" HotSwap 7,2K 500GB	91	☐
Licence Software Add-on			
DOC-SV08-MS-01	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (English)	104	☐
DOC-SV08-MS-02	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (French)	104	☐
DOC-SV08-MS-03	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (German)	104	☐
DOC-SV08-MS-04	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Spanish)	104	☐
DOC-SV08-MS-06	Additional 5 Client Licenses for Microsoft Windows Server 2008 Standard Edition (Italian)	104	☐
NUT-P044-00-00	NEC Storage PathManager Software Version 4.X for Windows (English)	750	☐
NUT-P045-00-00	NEC Storage PathManager Software Version 4.X for Linux (English)	750	☐
Memory Add-on			
N8102-332-O	4GB DDR3-1066Mhz ECC Registered SDRAM (1x 4GB, PC3-8500, 1.5V)	104	☐
N8102-333-O	8GB DDR3-1066Mhz ECC Registered SDRAM (1x 8GB, PC3-8500, 1.5V)	234	☐
Miscellaneous Add-on			
CBL-INSS-XX-00	SAS Internal Data Cable for tapes	39	☐
N8151-98-O	DVD Writer SATA	71	☐
Network Adapters Add-on			
ALN-0424-00-00	Intel PRO/1000 PT Single Port Gigabit Copper NIC (1x 10/100/1000, 1x RJ45, PCI-Express X1, WOL, standard & low profile brackets)	45	☐
ALN-0622-00-00	Intel PRO/1000 PT Dual Port Gigabit Copper NIC (2x 10/100/1000, 2x RJ45, PCI-Express X4, ALB/AFT, standard & low profile brackets)	130	☐
ALN-0820-00-00	Intel PRO/1000 PT Quad Port Gigabit Copper NIC (4x 10/100/1000, 4x RJ45, PCI-Express X4, AFT/ALB, standard & low profile brackets)	351	☐
Processor Add-on			
CPU-5506-EI-03	Intel® Xeon® Processor E5506 (QuadCore, 2.13GHz, 4MB, 4.8GT/s)	338	☐

NEC Reference	Description	Price €	IC*
Processor Add-on			
CPU-5560-XI-03	Intel® Xeon® Processor X5560 (QuadCore, 2.8GHz, 8MB, 6.4GT/s)	1 494	☐
Rack mount Kit Add-on			
MCH-NRMK-5U-01	5U Rack Mount Kit	597	☐
RAID controller for external storage Add-on			
HBA-S8R9-XX-00	LSI Logic MegaRAID SAS 8880EM2 8-Channel (External) RAID Controller PCI-Express X8 (512MB Cache, RAID0, 1, 5, 6, 10, 50, 2x MiniSAS SFF8088) for externals JBOD	403	☐
RAID Controller for internal Hard Disk Drives Add-on			
AIF-0693-00-U0	LSI Megaraid SAS 8708EM2 RAID 5,6 Upgrade Kit (extension of SAS8708EM2 RAID 0,1 module)	39	☐
AIF-0693-01-00	LSI Megaraid SAS 8708EM2 RAID Controller (128MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA, no cable)	260	☐
AIF-0699-00-01	LSI Megaraid SAS 8708EM2 RAID Controller (256MB Cache, RAID0,1,5,6,10,50, PCI-Express X8, SAS/SATA, no cable)	299	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.

NEC Reference	Description	Price €	IC*
Battery Backup Unit for RAID controller			
N8103-123-O	Battery Backup Unit for internal RAID controller (Megaraid SAS8708EM2)	117	☐
Connectivity add-on			
K410-220(00)	Internal Sas cable	25	☐
K410-221(00)	Internal Sata cable	25	☐
Hdd cage Add on			
N8154-23	4x 2.5" HDD cage	51	☐
Internal Hard disk drive			
N8150-230-O	HDD SATA2 3.5" Fix 7,2K 500GB	78	☐
N8150-260-O	HDD SATA2 3.5" Fix 7,2K 1TB	110	☐
N8150-311-O	HDD SAS 2.5" Fix 10K 146.5GB	104	☐
N8150-312-O	HDD SAS 2.5" Fix 10K 300GB	143	☐
Keyboard			
kbd-USBX-01-01	USB MOUSE AND KEYBOARD UK	21	☐
kbd-USBX-02-01	USB MOUSE AND KEYBOARD FR	21	☐
kbd-USBX-06-01	USB MOUSE AND KEYBOARD IT	21	☐
kbd-USBX-13-01	USB MOUSE AND KEYBOARD BEL	21	☐
kbd-USBX-23-01	USB MOUSE AND KEYBOARD US IN	21	☐
Memory			
N8102-342-O	1GB DDR3-1333 ECC Unbuffered SDRAM (1x 1GB, PC3-10600)	39	☐
N8102-343-O	2GB DDR3-1333 ECC Unbuffered SDRAM (1x 2GB, PC3-10600)	58	☐
N8102-344-O	4GB DDR3-1333 ECC Unbuffered SDRAM (1x 4GB, PC3-10600)	123	☐
Miscellaneous Add-on			
CBL-POWR-EU-00	Standard European (Schuko - CEE 7/7) to IEC320 C13 Power Cable kit (1 cable)	6	☐
CBL-POWR-GB-00	Standard British (BS 1363/A) to IEC320 C13 Power Cable kit (1 cable)	6	☐
Network adapters			
N8104-121-O	Intel PRO/1000 PT dual Port (2x RJ45, PCIe X4) dual bracket FH	130	☐
Optical Device Add on			
N8151-98-O	DVD Writer SATA	71	☐
Software add-on			
MED-XXXXXX99902	Multilingual Microsoft® Windows® Server 2008 R2 Standard 64bits - ROK	578	☐
MED-XXXXXX99904	Multilingual Microsoft® Windows® Server 2008 R2 Foundations 64bits - ROK	143	☐
Warranty Extension			
RWYG5SB010A	Ultracare Service BASIC 5 Years - Onsite NBD intervention or CRU exchange - from 3 years BASIC (EC-CAT1)	156	☐

* "IC" means that this reference refers to integrating component(s), and therefore all components have to be ordered individually.
Find all NEC products descriptions on www.nec-itplatform.com.